

DOORS

ENTRY | PATIO | STORM



PROVIA BUILDS DOORS THE PROFESSIONAL WAY

ProVia has developed a competitive position by catering to a niche within the door market that demands a high degree of customization coupled with outstanding quality. Our company defines the products that meet this demand as "professionalclass." We have found success by adhering to a set of core values that guide us as we develop rewarding, long-term relationships with our employees, customers and homeowners.

OUR MISSION: — TO SERVE, BY CARING FOR — DETAILS IN WAYS OTHERS WON'T

IT HAS LED US TO EXACTING STANDARDS

If you ask around, you'll find attention to detail is what our customers have come to appreciate and expect from the ProVia brand. Our company is family-owned and faith-based with an intense focus on producing Professional-Class products. ProVia feels so strongly about the performance and workmanship of our entry system—built by skilled craftspeople with state-ofthe-art manufacturing processes—that it's backed with a Lifetime Limited Warranty. The warranty is even transferable to one subsequent owner. You can visit our website provia.com for details. We're building your doors and our company to last a lifetime that's **THE PROFESSIONAL WAY**.

INDUSTRY ASSOCIATION

ProVia is a proud member of the Window and Door Manufacturers Association (WDMA) and American Architectural Manufacturers Association (AAMA) leading voices in our industry. As such, we support advocacy in building code and ASTM standard arenas, quality materials, installation and design in Doors and Windows.





WHAT MAKES PROVIA® **PROFESSIONAL-CLASS?**

ENTRY SYSTEMS TAILORED FOR YOUR HOME

Today's off-the-rack consumer-grade doors, which are cut down to fit your need, often fall short of expectations and performance. This shortcoming is precisely the driving force behind why every ProVia door is built to your home's exact measurements - for a better fit and a more secure and energy efficient door. The materials and workmanship that go into custom-made doors are of exceptional quality and durability, and far exceed what is available as ready-made.



HIGHEST STANDARDS

ProVia is committed to making doors individually customized for homeowners to the highest standards of durability, security and energy efficiency in the residential market. A clear difference so defining that it has established a new category of professional-class doors, a better alternative to consumer-grade doors.

SECURITY | We focus on the strength and security of every door so you can focus on what's really important - your life.

DURABILITY | Made with the finest materials and backed by our Lifetime Limited Transferable Warranty, our durability can't be beat.

BEAUTY | A beautiful ProVia entry system will always greet your guests with classic elegance and style.

ENERGY EFFICIENCY | Engineered to keep the elements at bay and your home comfortable all year long.

EN

	Components14
	Embarq® Fiberglass Features
	Signet® Fiberglass Features
	Heritage™ Fiberglass Features
	Legacy™ Steel Features
	8' Doors
	French Doors
	Inscribed Doors
	Doors Without Glass
GL	ASS
Co	mforTech [™] Glazing Systems
00	
	ComforTech Benefits
De	corative Glass
	Mirage
	8
	Brookhaven
	Manhattan44
	Essence
	Cheyenne
	Symphony
	Berkley
	5
	Laurence
	Carrington56
	Tacoma
	Somerset60
	Carmen
	Barcelona
	Constance
	Tranquility
	Gemstone
	Eclipse72
	Florence74
	Esmond
	Carlisle
	Twilight
Dia	logue Layered Glass™
	Brainstorm82
	Repartee
Inc	pirations [™] Art Glass
	vacy Glass
Cle	ar Glass
	Clear Glass
	White Internal Blinds
	Colored Internal Blinds
	Simulated Divided Lites
	Internal Grids98
	External Grids101
FIN	IISHING TOUCHES
	Stain Finishes
	Paint Finishes
	Trending/Custom Colors
	Hardware110
	Speakeasy, Hinge Straps, Clavos
	Speakeasy, Hinge Straps, Clavos
	Pet Doors130
	Pet Doors
	Pet Doors 130 Casing 131 Cladding 131
PATIC	Pet Doors 130 Casing 131 Cladding 131
PATIC	Pet Doors 130 Casing 131 Cladding 131 DOORS 131
PATIC	Pet Doors 130 Casing 131 Cladding 131 DOORS 132
	Pet Doors
	Pet Doors
	Pet Doors 130 Casing 131 Cladding 131 DOORS Hinged Patio Doors 132 Vinyl Sliding Patio Doors 134 M DOORS
	Pet Doors 130 Casing 131 Cladding 131 DOORS Hinged Patio Doors 132 Vinyl Sliding Patio Doors 134 CM DOORS Features and Benefits 140
	Pet Doors 130 Casing 131 Cladding 131 DOORS Hinged Patio Doors 132 Vinyl Sliding Patio Doors 134 M DOORS

Deluxe[™]......148 DuraGuard[™]......150 Hardware.....154

Patio Doors

THE PROFESSIONAL WAY

ProVia® has developed a competitive position by catering to a niche market that demands a high degree of customization coupled with superior quality. You will find attention to detail is what our customers have come to appreciate and expect from us. We're building your products and our company to last a lifetime...that's The Professional Way.



Partner of the Year Award

ENERGY STAR AWARD 2020 **PARTNER OF THE YEAR** Sustained Excellence



90%+ of Windows and Doors are ENERGY STAR[®] Certified



Professional-Class Exterior Building **Product Lines**

DOORS | WINDOWS | SIDING | STONE | ROOFING







Doing Business Since 1977

Core Values

200+Metric Tons of CO² Saved Annually

1,900+

Tons of metals, paper, glass and vinyl recycled annually at ProVia facilities

Visit **provia.com** to explore all of our products and options or dowload the app.









STYLE YOUR WAY

TAILORED JUST FOR YOU AT THE HIGHEST STANDARDS.

SECURITY | DURABILITY | BEAUTY | ENERGY EFFICIENCY

We make it easy for you to make the choice that's right for you. When you combine your selected door style, door glass, paint or stain finish, plus hardware and accessories, the end result is a customized entryway that reflects your personalized style.



CRAFTSMAN STYLE



ARCHITECTURAL CHARACTERISTICS AMERICAN CRAFTSMAN

Select atributes of this home style:

- Low-pitched roof lines, usually done in a hip or gable (triangular) style
- Occasional wide, overhanging eaves
- A covered front porch
- Pillars lining the entry
- Double hung windows
- Single, protruding dormers


INSPIRATION

DOOR STYLES





440

GLASS



FINISHES







Carrington

Cafe Cream



Coffee Bean

Sterling Gray



MODERN STYLE



ARCHITECTURAL CHARACTERISTICS MODERN/CONTEMPORARY

Select atributes of this home style:

- Asymmetrical footprint and floor plan
- Exaggerated roof lines and slopes
- Mix of building materials
- Custom built to client specifications
- Each home is unique to its environment
- Irregular colors

INSPIRATION

DOOR STYLES








001-INL6

GLASS









Brainstorm

FINISHES







Espresso

Coal Black

COLONIAL STYLE



ARCHITECTURAL **CHARACTERISTICS** CLASSIC/COLONIAL

Select atributes of this home style:

- Square or rectangle shape, with the door located in the center and the same number of windows reflected on either side
- High-peaked roof
- Central or end chimneys
- Pillars, dormer windows and brick detailing (mostly in later period homes)

INSPIRATION

DOOR STYLES








GLASS



Somerset

Constance





Tranquility

FINISHES





Mountain Berry

American Cherry

Enzian Blue



DESIGN YOUR DREAM ENTRYWAY

WITH PROVIA'S EXTERIOR HOME DESIGN TOOLS

Find inspiration for the exterior of your home. Download ProVia's free app for iPad or try the online Visualizer at **provia.com/visualizer**.



PROVIA VISUALIZER

Use ProVia's Visualizer to change the colors and styles of your home's doors, windows, siding, stone, and roofing

Let your imagination run free with this exterior home design tool. Select from a library of existing home styles, choosing one to match yours, or upload a photo of your own home.

In a few easy steps, update your siding color, add manufactured stone or a metal roof, give the windows a fresh look or personalize a new entry door.

Not sure where to start? Apply one of our pre-selected Designer Collections, then further customize the selections to reflect your own personal style.



PROVIA APP

Use the ProVia app to configure doors and windows or select from an extensive collection of vinyl siding, manufactured stone and metal roofing styles.

FEATURES

Door and Window Configurator

Vinyl Siding Profiles, Colors and Accessory Accents


Manufactured Stone Styles, Color Palettes and Grout Options

Metal Roofing Profiles, Trims and Colors

View Videos, Photo Galleries and Catalogs

Locate a ProVia Dealer





SHOW US YOUR STYLE AND CONNECT WITH US!

We love seeing how you apply our products to your home. Share photos with us.




DESIGN IT YOUR WAY

Imagine Your Entryway With a New Look. ProVia offers you endless possibilities to create the new front door of your dreams. To simplify the experience, we've categorized the selection process here to get you started. These ideas are just the beginning – you'll discover a myriad of additional color and style options throughout this catalog.

DOOR SKIN

Fiberglass and Steel door skins are available in a variety of textured and smooth options.



CONFIGURATION

Find and customize a configuration that best fits the opening of your home.



DOOR STYLE

Your home should reflect your personality. That's why you'll find a wide selection of styles to suit your taste.



GLASS

Select from a full line of Decorative Glass, Inspirations™ Art Glass, Dialogue Layered™ Glass, Clear Glass, Privacy Glass, Simulated Divided Lites and Grid Styles.



FINISH

Our stain and glazed finishes are hand-applied by professional craftsmen, then oven-cured for maximum beauty. Paint finishes are factory applied for a long-lasting, durable finish.



HARDWARE

Hardware from Trilennium®, Hoppe®, Emtek®, Brinks® and Schlage® provide some of the most stylish, durable hardware available today.









ACCESSORIES

Sometimes the smallest things make the biggest difference. Our accessories add a lot to the look of your entry system.













Colonial Door Knocker



7/8" Peepsite**



Mail Slot or Magazine Slot

Kick Plate

ADD A STORM DOOR

Protect, enhance and ventilate your entryway with a storm door, while adding an extra measure of security.



THE COMPONENTS


The components are the small things that set our doors apart from the competition. A lot of small things add up to a big difference.





Your home is unique and deserves to have **custom glass options** like our ComforTech[™] Warm Edge Glazing Systems which include decorative glass, Inspirations[™] Art glass, internal blinds and internal and external grids in many grid patterns and colors.

Impact Shield doors feature laminated glass.



Our **2½" casing** conveniently covers paint lines providing a professional installation. **Also available in 3½".** Choose from Cherry, Mahogany, Oak and Poplar. Flat Fir and Poplar trim are available in paint, stain and glazed finishes.

High-performance, heat-resistant window trim is warranted not to warp, crack or pull away from the door, even in sunny or higher temperature applications. **Plugless glass trim** is standard on Embarq[®] and Signet[®] and optional for Heritage^{™†} and Legacy^{™†}.

 Smooth (standard on select Signet Smooth doors and sidelites, optional on select Heritage Smooth and Legacy Smooth doors and sidelites) 2. Embarq and Signet Cherry and Mahogany 3. Embarq and Signet Oak and Knotty Alder 4. Signet Fir 5. Heritage and Legacy 6. Modern Flat Trim (only available on models 112, 114, 115, 116 and 160 sidelites)

† See price list for available styles.



14

C



The **Z-AC™ threshold** has an auto-adjusting riser and built-in sealing system that redefines how your door can perform for you. Standard on Signet and Legacy.

- Automatically adjusts to your entry door's changing needs over time, eliminating service calls
- Delivers **non-stop protection** against air and water infiltration
- Saves money and provides an improved door experience

The **ZAITM threshold** has a manuallyadjustable riser with complementary screw cover caps. Standard on Heritage.





Three **heavy-duty ball bearing hinges** come standard with every entry system.

Additional 4th hinge option for greater durability. (only available with FrameSaver®)


Impact Shield doors have heavy-duty stainless steel hinges.



The energy efficient weatherstripping runs along the top and sides of the door and interlocks with the **CornerShield™** for the most efficient seal you'll find for keeping moisture, wind and dirt out of your home.



We include our **20-gauge security plate** for extra strength and to help prevent kick-ins.



We include a **solid brass fully adjustable strike plate** of our own exclusive design. This unique 2-piece construction makes our doors easier to custom fit.



The **dust box** in the deadbolt strike provides a barrier to air infiltration while providing a nice appearance that most other door manufacturers don't provide.



Bulb and dual blade sweep virtually eliminates drafts, keeping your home comfortable.

THE COMPONENTS



FrameSaver®

FrameSaver Advantages



Our **finger-jointed composite bottom** never absorbs water, warps, cracks or rots, and paints and finishes just like wood. Plus, FrameSaver is backed by the industry's only **fully-transferable lifetime limited warranty** for ultimate peace of mind. Real World Frame Issues



Shrinking and swelling occur from changes in relative humidity in the atmosphere. Water wicks up through wood fibers resulting in paint peeling, rot and mold. Traditional door frames begin to rot within 3-6 months of field installation.

FusionFrame[™]

FusionFrame: A one-of-a-kind alternative to composite or wood jambs, this Endura® component utilizes the strength of an LVL interior, the rot-proof performance of a FrameSaver® bottom, and the durability of a composite frame exterior. Offering a lifetime jamb warranty*.

PREFINISHED, MAINTENANCE-FREE

Available as a textured or smooth frame, providing you with the benefit of a prefinished, maintenancefree system, along with the beauty of a stain or paint finish that matches your entry door.

Not available for transoms or outswing doors. See Price List for complete limitations and restrictions

*Finish warranty will match the finish warranty of door series





FrameSaver wood frame and brickmold with fingerjointed composite bottom prevents water absorption and carries a Lifetime Limited Warranty when used with **PVC vinyl coated aluminum frame cladding** outside. **Also available with smooth cladding.**



Our **PermaTech[™] Composite door frame system** option combines all the strength and convenience of wood with enhanced properties that make it moisture and insect resistant. PermaTech will not absorb or wick moisture and will never rot or splinter, and is covered by a Lifetime Limited Warranty.*

* No storm door applied. See full warranty for limitations



Steel L-Frame

Available on select Signet and Legacy door styles

Aluminum door stop provides greater security and is more durable than wood.

Energy efficient weatherstripping.

 18-gauge steel L-frame with a 12-gauge hinge plate welded on for extra strength and security.

(NOT tested for Certified Wind Load or Impact Shield regions)

Not all Steel L-Frames are ENERGY STAR $^{\odot}$ certified. Visit provia.com website for manufacturer's certification statement.

EMB/ FIBER R

EMBARQ SKIN OPTIONS



A NEW WAY OF THINKING

We set out on a journey to develop a new door and it expanded into a complete philosophy of creating unrivaled efficiency in home building products. We call this new way of thinking "enVision," and are proud to introduce its first creation: Embarq - the doorway to innovation and efficiency.

15-YEAR FINISH WARRANTY*

See pgs. 102-109 for paint and stain finishes



ALL Embarg Fiberglass Entry Systems are ENERGY STAR[®] Certified.

EMBARQ FIBERGLASS DOOR STYLES See pages 36-90 for glass availability.

003 ∺●+

002C-449	002CP-449

449-1PP ⊮

002-440	002P-440	

002C-437 O	00















- ✗ Embarq[®] Cherry
 Embarq[®] Mahogany
 → Embarq[®] Oak
 O Embarq[®] Knotty Alder



440-1PP ೫**+** 440-2P 業●**+** 460 **≭●**+○ **SIDELITES**



*Warranty time period may be limited in extreme applications. See warranty for details.

Stiles and rails are dovetailed and glued at each corner creating a structurally solid, integrated frame.



We engineered a channel in the side rails and header of the door to allow for a **larger** energy efficient polyurethane core. Our computer-controlled process fills every crevice with the foam barrier material resulting in a level of energy efficiency unparalleled in the industry.

We started from the inside out to maximize energy savings and reduce thermal loss, resulting in the most energy efficient door in the U.S. market. In fact, this door offers at least 4-times more insulating value than a typical wood door giving an unprecedented U-Factor of 0.09 - the lowest recorded heat conduction measurement for entry doors in the U.S.

The authentic wood look is made possible by using cutting-edge NVD (Nickel Vapor Deposition) technology by MasterGrain[™].

Scientifically formulated compounds provide superior resistance to denting, splitting, cracking

and warping.

Z-AC Threshold with auto-adjusting riser. Standard with anodized bronze finish.



To enhance efficiency and accommodate more insulation, we thickened the door and sidelites from the standard 1¼" to 2½" which is **43% thicker** than standard exterior doors. We also engineered a **dual perimeter seal** for the entry door to create a superior barrier against drafts and energy leaks.

Door edge is constructed with cherry, mahogany or oak wood matching the selected series.

The 4¹/₄" finger-jointed 4-ply hardwood strike stile provides a solid mounting surface for Emtek[®] hardware and superior structural integrity.

The revolutionary **DuraFuse™** Finishing System featuring P³ Fusion yields unprecedented finish durability.

We custom-designed a sweep

to accommodate the Embarq door's added thickness. This creates a new breed of thermal barrier to keep out unwanted elements and uncomfortable temperatures.



QUAD GLASS SYSTEM

Our enVision[™] innovation and technology has created a revolutionary new design utilizing a Quad Glass System. This glass system is only available for Embarq fiberglass doors and sidelites and utilizes the most energy efficient glass package available on the market today. This high performance glass system provides an optimal energy efficiency rating.

- A Low-E Glass Surface
- B Krypton Filled Air Space
- C Decorative Glass Core
- D Super Spacer[®]
- E Tri-Seal Spacer
- We re-engineered our ComforTech Warm Edge Glazing System to accommodate for the extra panes of glass in this highly efficient package.

EMBARQ GLASS PACKAGES

ComforTech[™] **QLK** (Krypton Gas Filled) **R-Value of 10** ComforTech[™] **QLA**



R-Value reflects properties of the glass only. Embarq glass package center of glass calculations.



SKINS AND FINISHES

Embarq doors available in Cherry, Mahogany, Oak and Knotty Alder and feature all the same stain and paint finishes as our Signet[®] doors shown on pgs. 102-109.



HARDWARE

Embarq doors are only available with Emtek® hardware. See pg. 116-118 for finish availability.

EXTERIOR STYLES








Melrose Imperial

Ribbon Orlear & Reed

Orleans Memphis



Egg (Shown on

Melrose)



Egg (Shown on

Memphis)



Cortina Turino (Shown on (Shown on Orleans) Imperial and Ribbon & Reed)



Embarq doors are also available with Colonial Door Knocker, Peepsite, Kick Plate (on page 127), Faux Speakeasy, Hinge Straps and Clavos (on page 128).

Satin Nickel caming with Bronze hardware

SIGNET® FIBERGLASS


SIGNET SKIN OPTIONS

MAHOGANY

CHERRY

Signet Fiberglass doors are available in Cherry, Mahogany, Oak, Fir, Knotty Alder and Smooth Series. Structurally, the Signet door is far superior to traditional fiberglass doors with robust hardwood stiles and rails dovetailed at each corner. All Signet Fiberglass doors exhibit our exclusive DuraFuse™ Finishing System featuring P³ Fusion, allowing us to offer an industry-best 15-year* finish warranty.






KNOTTY ALDER



OAK



CUSTOM WIDTHS & HEIGHTS Need a little more height or a little less width? We offer customized door and sidelite widths and heights in 1/4" increments. NEW All fir doors now standard with plugless trim.




15-YEAR FINISH WARRANTY* See pgs. 102-109 for paint and stain finishes



Patented

SIGNET FIBERGLASS DOOR STYLES See pages 36-90 for glass availability.



- Signet Oak O Signet Knotty Alder

The inside door **frame is hand-stained** or painted to match your door providing you with a consistent visual appearance. (Signet doors are also available with a Steel L-frame.)

> Stiles and rails are dovetailed and glued at each corner creating a structurally solid, integrated frame.

> > **Door edge** is constructed with cherry, mahogany, oak or fir wood matching the selected series.

The 4¼" finger-jointed 4-ply hardwood strike stile provides a solid mounting surface for decorative hardware and superior structural integrity.

The revolutionary **DuraFuse™** Finishing System featuring P³ Fusion yields unprecedented finish durability.

A high-performance, composite material is utilized on all Signet fiberglass bottom rails, giving excellent rotresistance.

The **2%" finger-jointed 3-ply hardwood hinge stile** provides superior structural integrity.

ProVia doors are **foam filled by a computer driven process** that ensures the optimal foam fill for maximum efficiency and strength.

The authentic wood look is made possible by using cutting-edge NVD (Nickel Vapor Deposition) technology by MasterGrain[™].

Scientifically formulated compounds provide superior resistance to denting, splitting, cracking and warping.

High-definition panel profile creates excellent shadow lines and distinct panel designs.

Plugless Window Trim is standard on Signet Pat: 9,562,389 Pat: 9,976,338

> Z-AC Threshold with auto-adjusting riser. Standard with anodized bronze finish.

HERITAGE[™] FIBERGLASS

HERITAGE SKIN OPTIONS



SMOOTH

Heritage Fiberglass doors feature enhanced woodgrain texture, improved definition embossing and a hardwood edge to prevent warping.

See pgs. 102-109 for paint and stain finishes

10-YEAR FINISH WARRANTY*




Most Heritage Fiberglass Entry Systems are ENERGY STAR® Certified.




CUSTOM HEIGHTS Need a little more or a little less height? We offer customized door and sidelite heights in 1/8" increments.






SIDELITES



Oak Grain Smooth Fiberglass Only Heritage Fiberglass doors without glass are available as an Impact Shield Product.

Entry System U-Factor: As low as .14

(Tested to NFRC specifications for a 6 panel door with wood frame). * Warranty time period may be limited in extreme applications. See warranty for details.



1%" Finger-jointed, 2-ply solid oak laminated stiles for both hinge and strike sides are proven to provide increased rigidity and structural integrity.

Variable-depth woodgrain texture with hand-applied stain imitates a wood door appearance.

Square-edge design offers an attractive wood door appearance.

Lock area is reinforced to provide a solid mounting surface for decorative hardware.

A high-performance, composite material is utilized on all Heritage fiberglass bottom rails, giving excellent rot-resistance.

Polyurethane core reduces energy loss.

Improved definition panel profile creates excellent shadow lines and distinct panel designs.

Specially engineered fiberglass door facings will not dent and resist splitting, cracking and warping.

Plugless Window Trim is optional on Heritage Fiberglass (see Price List for available styles)

> ZAI™ threshold has a manually-adjustable riser with complementary screw cover caps. Standard with aluminum mill finish.

LEGACY STEE

SMOOTH WITH

HIGH-DEFINITION

EMBOSSING

LEGACY SKIN OPTIONS

SMOOTH

Legacy Steel features add up to a professional-class product. Whether you select Legacy Woodgrain Textured Steel or Smooth Steel, our entry systems will provide an elegant, durable and energy efficient addition to any home.

10-YEAR FINISH WARRANTY* See pgs. 102-109 for paint and stain finishes

WOODGRAIN

TEXTURED



Most Legacy Steel Entry Systems are ENERGY STAR[®] Certified.

SMOOTH

WITH SHAKER EMBOSSING


00

 \mathbf{c}

ummun

Legacy Steel Doors with full-lite or half-lite decorative glass with ComforTech[®] glazing will include a pane of Low-E glass in order to be ENERGY STAR certified. This includes the following styles; 150, 230, 239, 240, 350, 430, 437, 439 and 460. Since Low-E glass has a slight color tint, it is recommended that sidelites and transoms are ordered with optional Low-E pane to match the door.

LEGACY STEEL DOOR STYLES See pages 36-90 for glass availability.



20-gauge Woodgrain Textured Steel 20-gauge Smooth Steel 0

- ÷
- 20-gauge Smooth Steel with High-Definition Embossing 24-gauge Smooth or Textured Steel (used with all 20-gauge doors)

20-gauge smooth shaker

NOT available as an Impact Shield product NOT available as Impact Shield or Certified

CUSTOMIZE BOTH SIDES

You can customize your entry by ordering a different series, style and

finish on each side of your door.

CUSTOM WIDTHS & HEIGHTS

sidelite widths and heights in 1/8" increments.

Need a little more height or a little less

width? We offer customized door and

- Windload product Entry System U-Factor: As low as .17 (Tested to NFRC
- specifications for a 6 panel door with wood frame). Warranty time period may be limited in extreme
- applications. See warranty for details. Patent USD621062



Composite top endcaps increase rigidity and energy efficiency.

ProVia doors are **foam filled by a computer driven process** that ensures the optimal foam fill for maximum energy efficiency and strength.

The edges and face skin of our steel doors are **one continuous piece of steel** for strength and durability.

Plugless Window Trim is optional on Legacy Steel (see Price List for available styles)

> Z-AC Threshold with auto-adjusting riser. Standard with aluminum mill finish.





Special adhesives/thermal barrier reduce heat and cold transfer, while our exclusive tab and slot system of mechanical interlocks gives the door exceptional structural strength.

To reinforce the lock and deadbolt area, we add a **rigid composite lock block** to all of our steel doors.

Our 20-gauge steel doors give you **49% more galvannealed steel** than a standard 24-gauge door.


> Composite bottom endcaps increase rigidity and energy efficiency.

8' DOORS

8' Doors provide a majestic first impression. Choose from many available glass and door styles (shown on pgs. 36-90). Trilennium[®] multi-point hardware offers homeowners better door closure and sealing than a single point lock. Trilennium or Hoppe multi-point hardware is required on all 8' fiberglass doors. See pages 112-114 for more information on Trilennium and Hoppe hardware.








t

460








130

SIDELITES

Entry System U-Factor: As low as .14

(Tested to NFRC specifications for a 6 panel door with wood frame). Warranty time period may be limited in extreme applications. See warranty for details.

LEGACY STEEL DOOR STYLES



- O 20-gauge Woodgrain Textured Steel
- • ↓ 20-gauge Smooth Steel 20-gauge Smooth Steel with High-Definition Embossing 24-gauge Smooth or Textured Steel (used with all 20-gauge doors)

SIDELITES



Entry System U-Factor: As low as .17 (Tested to NFRC * Warranty time period may be limited in extreme applications. See warranty for details.

- Patent USD621062
- ▲ NOT available as an Impact Shield product
- NOT available as Impact Shield or Certified Windload product

FRENCH DOORS

French doors make an elegant statement like nothing else. Express your personality by creating a simple yet striking entry. Make it as ornate and beautiful as you like.



FRENCH DOOR DETAILS

- All door styles are available as a French Door
- Available with FrameSaver® or Steel L-Frame
- Hinged on each end with door knobs in the center
- Available with either left or right active door (main entryway)
- Center astragal is attached to the inactive door and includes top and bottom slide bolts (used to open inactive door)
- Available as inswing or outswing
- Header security plate standard on Frame
- Hardware Installation: locksets, deadbolts and kickplates will be installed on active and inactive doors, all other hardware on active door only
- Also available with Trilennium hardware

ASTRAGAL DETAILS The French Door Astragal provides functionality and security



Astragal secures inactive door at top and bottom of your french door system

Lockable throw bolts improve security



Astragal bolt penetrates threshold allowing boot to seal, creating a better barrier against the elements



Astragal is stained to match Signet Fiberglass stained doors.

STYLES/CONFIGURATIONS

All door styles are available as a French Door. (See pages 22-29 for Impact Shield & Windload availability)



1605YA 4605YA 1605YA







UNEQUAL FRENCH DOORS

You now have the ability to utilize the larger entry door day-to-day, yet have the option to open the smaller, inactive door to gain full access.

Available in smooth steel only. Internal blind sizes are limited. See Price List for details.



Inscribed Doors

INSCRIBED DOORS

Elegant and refined to complement an entrance way. Each design is engraved into a Signet® Cherry fiberglass panel showcasing true richness of color and sophistication. Also available with three stainless steel inlay models.

INSCRIBED STYLES (Only available in flush Signet cherry doors.)









001-INS3C

STAINLESS STEEL INLAY STYLES (Only available in flush Signet cherry doors.)








AVAILABLE COLORS

CHERRY STAINS



15-YEAR FINISH WARRANTY*

Embarg and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

DOGORO WITHOUT Glass will fill your needs

Doors Without Glass will fill your needs beautifully when privacy is needed.







DOORS WITHOUT GLASS STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

									Doors						
	009 008	P 008	006	004	005	003M	003	003C	002C(P)-449	002	002C(P)-437	002-440	002P-440	001C	001
Embarq / Signet Mahogany Series							•								
Embarq / Signet Cherry Series	•		٠				٠		•			٠			٠
Embarq / Signet Oak Series	•		•				٠					•	•		
Signet Fir Series								٠						٠	٠
Embarq / Signet Knotty Alder Series											٠				
Signet Smooth Series						٠						٠			٠
Heritage Woodgrain Textured Fiberglass	•		•	•			•			•					•
Heritage Smooth Fiberglass	•		٠	٠			٠			٠					٠
20-Gauge Woodgrain Textured Steel			•												•
20-Gauge Smooth Steel	•	•	•		•		٠	•		٠	•				٠

			8'	Doors					
	001	001C 002W(P)			002	002S	003S	006	008P
Embarq / Signet Cherry Series	*	*	*						
Signet Fir Series		•				٠	٠		
Embarq / Signet Knotty Alder Series				*					
Signet Smooth Series	٠								
Heritage Woodgrain Textured Fiberglass					•			•	•
Heritage Smooth Fiberglass	٠							٠	
20-Gauge Smooth Steel	٠							٠	

- * Embarq doors and sidelites are not available in 8' heights
- ♦ Only available in 42" x 96" size




All Entry Systems Without Glass are ENERGY STAR® Certified.

COMFORTECH[™]

LIFETIME LIMITED WARRANTY Includes Glass Breakage and Seal Failure


Measurably improve thermal performance with our ComforTech[™] Warm Edge Glazing System. You'll enjoy better energy efficiency and a warmer glass edge.



COMFOR**TECH** ADVANTAGES



The NO-Metal Advantage



Mylar 10-Layer Vapor Barrier



Withstands Normal Bowing



Enhanced Noise Reduction

COMFORTECH WARM EDGE GLAZING SYSTEM IS INCLUDED IN ALL:


- Decorative Glass
- Inspirations[™] Art Glass
- Privacy Glass (Except for Dialogue Layered Glass™)
- Clear Glass
- Grids (Internal, External and SDL)

GLAZING SYSTEM OPTIONS

ComforTech[™] **TLK** ComforTech[™] **TLK-UV**




R-Value of 10



ComforTech[™] **TLA**




ComforTech[™] **DLA** ComforTech[™] **DLA-UV**



R-Value of 4

ComforTech™ **DC**



R-Value of 2

R-Value reflects properties of the glass only. Center of glass calculations are based upon software from Lawrence Berkeley National Laboratory.

ELEVATION SERIES


for customers in high altitude areas

Insulated glass without Argon or Krypton. Capillary tubes are open and inserted behind glazing bead. Low-E softcoat and hardcoat available for vinyl windows and vinyl patio doors.



IMPACT SHIELD

All of our Impact Shield Products feature ComforTech™ laminated glass.



R-Value reflects properties of the glass only. Center of glass calculations are based upon software from Lawrence Berkeley National Laboratory.

FLORIDA

Impact Shield Products are designed to protect your family and home against the harshest storms and deter burglars. All entry systems and patio doors in this Impact Shield Products section are wind-borne debris resistant and approved by the State of Florida. *floridabuilding.org*





Understanding the Acronyms

- **T** Triple Glazed
- D Double Glazed
- $\boldsymbol{\mathsf{L}}$ Low E
- C Clear
- A Argon
- **K** Krypton
- **E** Elevation (no gas)
- UV Ultraviolet
- HC Hard Coat

Some Elevation Series (TLE-UV, TLE, DLE-UV and DLE) glass offerings require a hardcoat option to be ENERGY STAR® compliant.

DECORATIVE GLASS



Highly-skilled craftsmen assemble hand-beveled glass accented with a variety of unique glass options by precisely cutting, mitering and soldering each component into artistically designed patterns.

Decorative glass purposefully seeks visual character through aesthetic imperfections, while maintaining structural stability. These "imperfections" mimic the hand-made sheet glass of centuries past. They come in the form of textural waves and striations, random seeds (air bubbles) and a variety of other natural effects. Decorative glass achieves its personality through these apparent flaws and no two sheets are ever identical. Each glass panel is hand-made and reflects minor differences from piece to piece. This is characteristic of any handmade product and adds to the charm and beauty of the product.

We continually inspect for consistency. The patterns can vary in size and particular shapes, but pose no danger of spontaneous breakage or structural instability. Any patterns that are severely out of character with the glass are not accepted. Our goal is to provide the finest quality glass panels.

ALL^{*} DECORATIVE GLASS:

1. ProVia Exclusive

These decorative glass designs are only found on ProVia doors. This gives your entryway a unique style that can't be found anywhere else.

2. Includes our ComforTech™ Warm Edge Glazing System

Measurably improve thermal performance with our ComforTech Warm Edge Glazing System. You'll enjoy better energy efficiency and a warmer glass edge.

3. Impact Shield available

Impact Shield Products are designed to protect your family and home against the harshest storms and help deter burglaries. Impact Shield products feature laminated glass and can withstand repeated blows from wind-borne debris or unwanted intruders.

4. Covered by a Lifetime Limited Warranty

Warranty includes glass breakage and seal failure.



Each piece of glass is meticulously inspected for consistency.



Mirage offers effortless style, with narrow/thin reed glass all over, complemented by clear beveled glass. Zinc caming tops it off, making it a simple, modern and attractive design.

CAMING FINISH





Clear Beveled

Caming

PRIVACY RATING 1 2 3 4 5 6 **7** 8 9 10

less privacy

Narrow/Thin Reed

more privacy



All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613MIR∳ IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	160MIR	440MIR†	440MIR† 1	440MIR 240MIR	140MIR 4:	30MIR†	439MIR†	350MIR
150MIR†	419MIR †	139MIR 23	99MIR	230MIR	120MIR 420	MIR-DS† 120MII	R 770 MIR	449MIR 770 MIR
SUOOD REAL FRANCISCO STATE	140MIR	430MIR†	130 MIR	150 MIR	A37MIR			

MIRAGE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

						-													-					
						Doc	ors								Side	lites	;			8' D	oors	;	8' Sic	elite
	460	440	449	350	150	240	430	439	230	239	420	419	160	140	770	130	139	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•		•					•	•	•	•	•								
Embarq / Signet Cherry Fiberglass	•	٠	٠		٠		•					٠	•	٠	٠	٠			*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•					•	•	٠	٠	•								
Signet Fir Fiberglass	•										٠		٠		٠			•						
Embarq / Signet Knotty Alder Fiberglass	•						•						•		•					*	*			*
Signet Smooth Fiberglass	•	٠			٠						٠		•	٠	٠									
Heritage Woodgrain Textured Fiberglass	•	•		•	٠		•	•	٠			•	•	•	•	•				•				•
Heritage Smooth Fiberglass	•	٠		٠	٠		٠	٠	٠			٠	•	٠	٠	٠				٠				٠
20-Gauge Woodgrain Textured Steel	•	•		•		•	•	•				•	0	0	•	0	0							
20-Gauge Smooth Steel	•	•		•	•	•	•	•	•	•		•	0	0	•	0	0			•				•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time

Embarg doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

Mirage Glass



BROOKHAVEN DECORATIVE GLASS

Brookhaven is accented with gray antique glass, giving it a subtle hint of color. The hammered glass delivers some privacy and is accentuated with clear beveled and microcubed glass throughout.

CAMING FINISH

Zinc Patina

Specify caming finish using these codes: Zinc - BRZ, Patina - BRP

PRIVACY RATING

less privacy

(TTTTT)

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure

1 2 3 4 5 6 7 🔒 9 10



All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



BROOKHAVEN STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

							Do	ors								Si	delit	es			8' D	oors	;	8' Sid	elites
	460	440	449	350	150	240	243	430	439	230	239	420	419	400	160	140	130	139	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•					•		•	•	•								
Embarq / Signet Cherry Fiberglass	•	٠	٠		٠		٠	٠					٠		•	٠	٠			*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•	٠					٠		٠	•	•								
Signet Fir Fiberglass	٠											٠			•				٠						
Embarq / Signet Knotty Alder Fiberglass	•							٠							٠						*	*			*
Signet Smooth Fiberglass	٠	٠			٠							٠			•	٠									
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•	•			•	•	•	•	•				•				•
Heritage Smooth Fiberglass	٠	٠		٠	٠		٠	٠	٠	٠			٠	٠	•	٠	٠				٠				٠
20-Gauge Woodgrain Textured Steel	•	•		•		•		•	•				•	•	0	0	0	0							
20-Gauge Smooth Steel	•	٠		٠	٠	٠		٠	٠	٠	٠		٠	٠	0	0	0	0			٠				٠
																									,

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
- A-week lead time). See Frice List for design pa
 Requires an additional 6-week lead time
- * Embarq doors and sidelites are not available in 8' heights
- For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Manhattan features streamed glass, clear bevels and gray softwave, combining simplicity and modern style. Accent it with either patina or zinc caming to customize the look.

CAMING FINISH

Zinc Patina

Specify caming finish using these codes: Zinc - MAZ, Patina - MAP

PRIVACY RATING

less privacy

Streamed

Caming

Clear Beveled

Gray Softwave

more privacy


LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure

1 2 3 4 5 6 7 🔒 9 10




All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.









160MAN

440MAN†

240MAN

130MAN 430 130MAN+ 130MAN



230MAN






MANHATTAN STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

					1 0								· ·	
			Do	ors				Side	lites		8' D	oors	8' Sid	lelites
	460	440	240	430	230	420	160	140	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•			•	•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•		•			•	•	•					
Signet Fir Fiberglass	•					٠	•			٠				
Signet Smooth Fiberglass	•	•				•	•	•						
Embarq / Signet Knotty Alder Fiberglass	•			٠			•					*		*
Heritage Woodgrain Textured Fiberglass	•	•		•	•	•	•	•	•			•		•
Heritage Smooth Fiberglass	•	٠		٠	٠	٠	•	٠	٠			٠		٠
20-Gauge Woodgrain Textured Steel	•	•	•	•		•	0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0	0			٠		•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage") or pg. 26 (for Legacy")
 Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time

- * Embarq doors and sidelites are not available in 8' heights
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



ESSENCE DECORATIVE GLASS

Essence features a bronze softwave glass combined with micro-granite that brings elegance to a whole new level.

CAMING FINISH



Specify caming finish using these codes: Brass - ESB, Zinc - ESZ

PRIVACY RATING 1 2 3 4 5 6 7 8 9 10

less privacy

more privacy



All Full Wood Frame and Composite Frame Entry Systems using Essence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Essence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613ESZ0ł











160ESZ

440ESZ†

150ESZ† 770ESZ\$§ł



ESSENCE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

			Do	ors				Side	elites		8	B' Door	s	8' Sid	lelites
	460	440	150	240	430	230	160	140	770	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•	•		•		•	٠	•	•					
Embarq / Signet Cherry Fiberglass	•	٠	•		٠		•	٠	٠	٠	*		*	*	
Embarq / Signet Oak Fiberglass	•	•	•		٠		•	•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•				٠		•		•			*			*
Signet Fir Fiberglass	•														
Signet Smooth Fiberglass	•	•	•				•	٠	•						
Heritage Woodgrain Textured Fiberglass	•	•	•		٠	•	•	•	•	•		•			٠
Heritage Smooth Fiberglass	•	٠	•		٠	٠	•	•	٠	٠		٠			٠
20-Gauge Woodgrain Textured Steel	•	•		•	٠		0	0	•	0					
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0	•	0		•			•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern † § ł


Requires an additional 6-week lead time

Steel sidelites are made from 24-Gauge steel
 Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

CHEYENNE DECORATIVE GLASS

Cheyenne features micro-granite, hammered and beveled glass that will add elegance to your entryway, while providing a high level of privacy.

CAMING FINISH



Specify caming finish using these codes Patina - CHP, Zinc - CHZ



PRIVACY RATING 1 2 3 4 5 6 7 **8** 9 10

less privacy

Micro-granite

Faceted Jewel

Caming

Clear Beveled

more privacy



All Full Wood Frame and Composite Frame Entry Systems using Cheyenne Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Cheyenne Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

512/513CHPOł 8 3 160CHP 460CHP 160CHP 140CHP 440CHP† 140CHP 350CHP 150CHP† 240CHP 100 DC. ł 8 3 8 243CHP 130CHP 430CHP† 419CHP**†** 110CHP 230CHP 400CHP†



CHEYENNE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

						Door	s					Si	idelite	es	8	Doo	rs	8' Sic	lelites
	460	440	350	150	240	243	430	230	419	400	110	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	٠	٠		٠		٠	٠		٠			•	٠	٠	*		*	*	
Embarq / Signet Oak Fiberglass	•	•		•		•	•		•			•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•						٠					•				*			*
Signet Fir Fiberglass	٠											•							
Signet Smooth Fiberglass	•	٠		٠								•	٠						
Heritage Woodgrain Textured Fiberglass	٠	•	•	•		•	•	•	•			•	•	•		•			٠
Heritage Smooth Fiberglass	•	•	•	•		•	•	•	•	•		•	•	•		•			٠
20-Gauge Woodgrain Textured Steel	•	•	•		•		•		•	•		0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•		•	•	•	•	•	0	0	0		•			•

† For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)

Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time

Embarq doors and sidelites are not available in 8' heights

O Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

SYMPHONY DECORATIVE GLASS

Symphony features a bronze softwave and expresses timeless beauty and elegance at every curve. This design is sure to bring you a pleasing and melodious style.


Caming

Clear Renaissance

Clear Beveled

Seedy

CAMING FINISH



Bronze Softwave

Specify caming finish using these codes: Brass - SYB, Patina - SYP, Zinc - SYZ

PRIVACY RATING 1 2 3 4 **5** 6 7 8 9 10


less privacy

more privacy



532SYA* ł

All Full Wood Frame and Composite Frame Entry Systems using Symphony Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Symphony Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



SYMPHONY STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

						Do	ors							Sie	delit	es			8'	Doc	ors		8' S	idel	ites
	460	440	350	449	150	240	243	430	230	420	419	400	160	140	770	130	120	460	440	430	437	150	160	140	130
Embarq / Signet Mahogany Fiberglass	•	٠			•			•			•		•	•	•	٠									
Embarq / Signet Cherry Fiberglass	•	٠		٠	٠		٠	٠			٠		•	٠	٠	٠			*			*		*	
Embarq / Signet Oak Fiberglass	•	٠			٠		٠	٠			•		•	٠	•	٠									
Signet Fir Fiberglass	•									٠			•		٠		٠								
Embarq / Signet Knotty Alder Fiberglass	•							٠					•							*	*				*
Signet Smooth Fiberglass	•	٠			٠					٠			•	٠	٠			٠					•		
Heritage Woodgrain Textured Fiberglass	•	٠	•		•		٠	•	•		•	•	•	•	•	٠		•		٠			•		•
Heritage Smooth Fiberglass	•	٠	٠		٠		٠	٠	٠		٠	٠	•	٠	٠	٠		٠		٠			•		٠
20-Gauge Woodgrain Textured Steel	•	٠	•			•		•			•	•	0	0	•	0									
20-Gauge Smooth Steel	•	•	•		•	•		•	•		•	•	0	0	٠	0		•		٠			•		٠

§ Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern

- Requires an additional 6-week lead time Embarq doors and sidelites are not available in 8' heights *
- For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
 In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls

BERKLEY DECORATIVE GLASS

Berkley features micro-iced granite, clear bevels, and small hammered with a timeless herringbone pattern that complements modern, contemporary and Arts & Crafts architecture.

Small Hammered

CAMING FINISH

Antique Brass Zinc

Patina

Specify caming finish using these codes: Antique Brass - BEA, Zinc - BEZ, Patina - BEP

LIFETIME LIMITED WARRANTY

more privacy

1 2 3 4 5 6 7 8 9 10

PRIVACY RATING

less privacy

Includes Glass Breakage & Seal Failure



Caming

Clear Beveled

Micro-iced Granite



All Full Wood Frame and Composite Frame Entry Systems using Berkley Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Berkley Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.





BERKLEY STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

			Do	ors				0	Sidelite	S		8' D	oors	8' Sic	delites
	460	440	240	430	230	420	160	140	770	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		٠			•	•	•	•					
Embarq / Signet Cherry Fiberglass	•	٠		٠			•	٠	•	٠		*		*	
Embarq / Signet Oak Fiberglass	•	٠		٠			•	•	•	•					
Signet Fir Fiberglass	•					٠	•		•		•				
Signet Smooth Fiberglass	•	٠				•	•	•	•						
Embarq / Signet Knotty Alder Fiberglass	•			٠			•		•				*		*
Heritage Woodgrain Textured Fiberglass	•	٠		٠	٠		•	٠	•	٠			٠		•
Heritage Smooth Fiberglass	•	٠		٠	•		•	٠	•	٠			٠		٠
20-Gauge Woodgrain Textured Steel	•	٠	•	٠			0	0	•	0					
20-Gauge Smooth Steel	•	•	•	٠	٠		0	0	•	0			٠		•

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
 ∤ Requires an additional 6-week lead time
- * Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 o Steel sidelites are made from 24-Gauge steel
 c Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

LAURENCE DECORATIVE GLASS

Laurence features a gray softwave expressing defined classical vintage that will greet your guests with its distinguished character and prominent lines.

CAMING FINISH

Patina

PRIVACY RATING 1 2 3 4 5 **6** 7 8 9 10

less privacy

Gray Softwave

Patina Caming

Clear Softwave

Clear Beveled


Thin Reed

more privacy




All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.





I





240LAU

430LAU† 130LAU



230LAU





LAURENCE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

					0								<i>.</i>	
			Do	ors				Side	lites		8' D	oors	8' Sid	lelites
	460	440	240	430	230	420	160	140	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•	٠	•					
Embarq / Signet Cherry Fiberglass	•	•		•			•	•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•		•			•	•	•					
Signet Fir Fiberglass	•					٠	•			٠				
Signet Smooth Fiberglass	•	•				٠	•	•						
Embarq / Signet Knotty Alder Fiberglass	•			٠			•					*		*
Heritage Woodgrain Textured Fiberglass	•	•		•	•	٠	•	•	•			•		•
Heritage Smooth Fiberglass	•	•		٠	•	٠	•	•	•			٠		•
20-Gauge Woodgrain Textured Steel	•	•	•	•		٠	0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0	0			٠		•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage") or pg. 26 (for Legacy")
 Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time

- * Embarq doors and sidelites are not available in 8' heights
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Carrington features small hammered, flat seedy and clear bevels in an attractive vintage design to accent your home's entryway.

CAMING FINISH

Patina



1 2 3 4 5 6 7 8 9 10

less privacy

more privacy



All Full Wood Frame and Composite Frame Entry Systems using Carrington Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Carrington Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



CARRINGTON STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

130CAR

					Door	s					Si	idelite	es		8	' Doo	rs	8' Sic	lelites
	460	440	449	240	243	430	230	420	419	160	140	770	130	120	440	430	437	140	130
Embarq / Signet Mahogany Fiberglass	•	•				•			•	•	•	•	•						
Embarq / Signet Cherry Fiberglass	•	٠	٠		٠	٠			٠	•	٠	٠	٠		*			*	
Embarq / Signet Oak Fiberglass	•	•			٠	•			•	•	٠	•	•						
Signet Fir Fiberglass	•							٠		•		٠		٠					
Signet Smooth Fiberglass	•	•						•		•	•	•							
Embarq / Signet Knotty Alder Fiberglass	•					٠				•		٠				*	*		*
Heritage Woodgrain Textured Fiberglass	•	•			٠	•	•		•	•	٠	•	•			•			•
Heritage Smooth Fiberglass	•	٠			٠	٠	٠		٠	•	٠	٠	٠			٠			•
20-Gauge Woodgrain Textured Steel	•	•		•		•			•	0	0	•	0						
20-Gauge Smooth Steel	•	•		•		•	•		•	0	0	•	0			٠			•
																			1

437CAR†

§ Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern Requires an additional 6-week lead time

ł

440CAR†

140CAR

430CAR†

Embarg doors and sidelites are not available in 8' heights

† For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) Steel sidelites are made from 24-Gauge steel
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



TACOMA DECORATIVE GLASS

Tacoma features hammered and micro-granite design reminiscent of the Arts and Crafts period. Tacoma adds a southwestern inspired theme bringing heritage and legacy to your door.

CAMING FINISH

Patina

PRIVACY RATING 1 2 3 4 5 6 7 8 9 10

less privacy

more privacy



All Full Wood Frame and Composite Frame Entry Systems using Tacoma Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Tacoma Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.









120TAC 420TAC-DS 120TAC



TACOMA STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

		Do	ors			Sidelites		8' D	oors	8' Sidelites		
	460	440	240	420	160	140	120	440	430	140	130	
Embarq / Signet Mahogany Fiberglass	•	•			•	•						
Embarq / Signet Cherry Fiberglass	•	٠			•	•		*		*		
Embarq / Signet Oak Fiberglass	•	•			•	•						
Embarq / Signet Knotty Alder Fiberglass	•				•				*		*	
Signet Fir Fiberglass	•			•	•		•					
Signet Smooth Fiberglass	•	٠		٠	•	•						
Heritage Woodgrain Textured Fiberglass	•	•			•	•			•		•	
Heritage Smooth Fiberglass	•	•			•	•			٠		٠	
20-Gauge Woodgrain Textured Steel	٠	•	•		0	0						
20-Gauge Smooth Steel	•	•	•		0	0			•		•	

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage") or pg. 26 (for Legacy")
Steel sidelites are made from 24-Gauge steel
Requires an additional 6-week lead time


- Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



SOMERSET DECORATIVE GLASS

Somerset features small hammered, micro granite and clear bevels in a simple yet elegant design that gives a fresh look to your entryway.

CAMING FINISH




PRIVACY RATING 1 2 3 4 5 6 7 8 9 10

less privacy

more privacy



All Full Wood Frame Entry Systems using Somerset Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Somerset Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.











400SOM†

110SOM

140SOM

430SOM† 130SOM

SOMERSET STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

							0													· ·				
		Doors												Si	delit	es		8' Doors				8' Sidelit		
	460	440	449	350	150	240	243	430	230	420	419	400	110	160	140	770	130	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	٠			•			•			٠			٠	•	•	•							
Embarq / Signet Cherry Fiberglass	•	٠	٠		٠		٠	٠			٠			•	٠	٠	٠		*			*	*	
Embarq / Signet Oak Fiberglass	•	٠			•		•	•			٠			٠	•	•	٠							
Signet Fir Fiberglass	•									٠				•		٠		٠						
Embarq / Signet Knotty Alder Fiberglass	•							•						٠		•				*	*			*
Signet Smooth Fiberglass	•	٠			٠					٠				•	٠	٠								
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•	•	•	•		٠	•	•	•			•				•
Heritage Smooth Fiberglass	•	٠		٠	٠		٠	٠	٠	٠	٠	٠		•	٠	٠	٠			٠				٠
20-Gauge Woodgrain Textured Steel	•	٠		٠		٠		•		•	•	٠		0	0	•	0							
20-Gauge Smooth Steel	•	٠		٠	٠	٠		٠	٠	٠	٠	٠	٠	0	0	٠	0			٠				٠

§ Also available in 10" width. See Price List for design pattern
 Requires an additional 6-week lead time
 Steel sidelites are made from 24-Gauge steel
 Embarg doors and sidelites are not available to steel

- Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq[®]), pg. 22 (for Signet[®]), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])

Somerset Glass

Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Carmen features a refreshing new style for an entrance way with old world style charm. Standard with Chinchilla privacy glass and also available in all privacy glass options.



Wrought Iron with Nickel-Veined Finish

Chinchilla


1 2 3 4 5 6 7 8 9 10 less privacy more privacy

PRIVACY RATING



All Full Wood Frame and Composite Frame Entry Systems using Carmen Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Carmen Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.





CARMEN STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

			Do	ors				Side	lites		8' C	Doors	8' Sidelites	
	460	440	240	430	230	420	160	140	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		٠			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		٠			•	•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•		•			•	•	•					
Signet Fir Fiberglass	•					٠	•			٠				
Embarq / Signet Knotty Alder Fiberglass	•			٠			•					*		*
Signet Smooth Fiberglass	•	٠				•	•	٠						
Heritage Woodgrain Textured Fiberglass	•	•		٠	٠		•	•	•			•		•
Heritage Smooth Fiberglass	•	•		٠	•		•	٠	•			٠		٠
20-Gauge Woodgrain Textured Steel	•	•	•	•			0	0	0					
20-Gauge Smooth Steel	•	٠	٠	٠	٠		0	0	0			٠		٠

.

- Requires an additional 6-week lead time
 Embarq doors and sidelites are not available in 8' heights
- For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel



BARCELONA **DECORATIVE GLASS**

Barcelona features an exquisite wrought iron design with the option of choosing gluechip (standard), waterfall, taffeta, chinchilla, obscure pebble or clear glass.








PRIVACY RATING 1 2 3 4 5 6 7 🔒 9 10

less privacy

more privacy



All Full Wood Frame and Composite Frame Entry Systems using Barcelona Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Barcelona Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



When you order Barcelona glass using the style code BRC, you will receive the standard Gluechip glass. To order the other Privacy Glass options shown below, use the style codes CHI, TAF, WAT or OBS after the letters BRC (e.g. 460BRC-CHI).



BARCELONA STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

			Doors				Sidelites		8' D	oors	8' Sid	elites
	460	440	240	430	230	160	140	130	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•		•	•	•				
Embarq / Signet Cherry Fiberglass	•	٠		•		•	٠	•	*		*	
Embarq / Signet Oak Fiberglass	•	•		•		•	•	•				
Embarq / Signet Knotty Alder Fiberglass	•			•		•				*		*
Signet Fir Fiberglass	•					•						
Signet Smooth Fiberglass	•	٠				•	٠					
Heritage Woodgrain Textured Fiberglass	•	•		•	•	•	•	•		•		•
Heritage Smooth Fiberglass	•	٠		٠	٠	•	٠	٠		٠		٠
20-Gauge Woodgrain Textured Steel	٠	٠	٠	•		0	0	0				
20-Gauge Smooth Steel	•	•	•	•	•	0	0	0		•		•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel

Embarq doors and sidelites are not available in 8' heights



CONSTANCE DECORATIVE GLASS

Constance features gluechip, medium gray softwave and beveled edge glue chip resulting in a traditional design that gives your entryway an elegant look.

CAMING FINISH



Specify caming finish using these codes: Brass - COB, Zinc - COZ

PRIVACY RATING 1 2 3 4 5 **6** 7 8 9 10

less privacy

more privacy



All Full Wood Frame and Composite Frame Entry Systems using Constance Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Constance Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



CONSTANCE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

								~																
	Doors													Si	delit	es		8' Doors				8' Sidelite		
	460	440	449	350	150	240	243	430	230	420	419	400	110	160	140	770	130	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•			٠			•	•	•	•							
Embarq / Signet Cherry Fiberglass	•	٠	٠		٠		٠	٠			٠			•	٠	٠	٠		*			*	*	
Embarq / Signet Oak Fiberglass	•	٠			•		•	•			•			•	•	٠	•							
Signet Fir Fiberglass	•									٠				•		٠		٠						
Signet Smooth Fiberglass	•	٠			•					•				•	•	٠								
Embarq / Signet Knotty Alder Fiberglass	•							٠						•		٠				*	*			*
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•		•	٠		•	•	•	•			•				•
Heritage Smooth Fiberglass	•	٠		٠	٠		٠	٠	٠		٠	٠		•	٠	٠	٠			٠				٠
20-Gauge Woodgrain Textured Steel	•	•		•		٠		•			•	•		0	0	0	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•		٠	•	•	0	0	٠	0			•				•

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
- Requires an additional 6-week lead time
- Embarg doors and sidelites are not available in 8' heights
- ↑ For additional door panel styles see pg. 18 (for Embarq[®]), pg. 22 (for Signet[®]), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™]) o Steel sidelites are made from 24-Gauge steel
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

67



Tranquility features unique Chinchilla glass accented with beveled clusters and streamed glass.

CAMING FINISH

Patina Zinc

Specify caming finish using these codes: Patina - TRP, Zinc - TRZ

PRIVACY RATING

less privacy

Streamed

Granite

Chinchilla

Caming

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure

1 2 3 4 5 6 7 🔒 9 10



All Full Wood Frame and Composite Frame Entry Systems using Tranquility Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Tranquility Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613TRPC	Image: 160TRP Image: 140TRP	440TRP† 140TRP	160TRP 350TRP	160TRP 150TRP	t 240TRP
Participant of the second seco	130TRP 430TRPt	230TRP	419TRP†	400TRP†	110TRP
ORS					



ŏ ō





TRANQUILITY STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

130TRZ

							-		,										
	Doors											Si	idelite	es	8	Doo	8' Sic	lelite	
	460	440	350	150	240	243	430	230	419	400	110	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	٠		٠		٠	٠		•			•	٠	٠	*		*	*	
Embarq / Signet Oak Fiberglass	•	•		•		•	•		•			٠	•	•					
Embarq / Signet Knotty Alder Fiberglass	•						٠					•				*			*
Signet Fir Fiberglass	•											٠							
Signet Smooth Fiberglass	•	٠		٠								•	٠						
Heritage Woodgrain Textured Fiberglass	•	•	•	•		•	•	•	•	•		•	•	•		•			•
Heritage Smooth Fiberglass	•	•	•	•		•	٠	٠	٠	٠		•	•	•		٠			٠
20-Gauge Woodgrain Textured Steel	•	•	•		•		•		•	•		0	0	0					
20-Gauge Smooth Steel	•			•	٠		•	٠		٠	•	0	0	0		٠			٠

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage") or pg. 26 (for Legacy")
 Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time

* Embarq doors and sidelites are not available in 8' heights

Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Beautiful beveled glass with iced and micro-iced granite, accented with zinc caming, gives this classic design a contemporary edge.

CAMING FINISH



PRIVACY RATING 1 2 3 4 5 6 7 **8** 9 10

Iced Granite

Zinc Caming

Clear Beveled

Alabaster

Micro-iced Granite

less privacy

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure

70



All Full Wood Frame and Composite Frame Entry Systems using Gemstone Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Gemstone Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613GEMOł











243GEM




GEMSTONE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

				Do	ors				5	Sidelite	s	6	3' Dooi	rs	8' Sic	lelites
	460	440	150	240	243	430	230	419	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•	•			•		•	•	•	•					
Embarq / Signet Cherry Fiberglass	•	•	٠		٠	•		٠	•	٠	٠	*		*	*	
Embarq / Signet Oak Fiberglass	•	•	•		٠	٠		•	•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•					٠			•				*			*
Signet Fir Fiberglass	•	•	•						•	•						
Signet Smooth Fiberglass	•								•							
Heritage Woodgrain Textured Fiberglass	•	•	•		٠	٠	٠	٠	•	•	•		٠			•
Heritage Smooth Fiberglass	•	•	٠		٠	•	٠	٠	•	٠	٠		٠			•
20-Gauge Woodgrain Textured Steel	•	•		٠		٠		•	0	0	0					
20-Gauge Smooth Steel	•	•	٠	٠		٠	٠	•	0	0	0		٠			•

† For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)

For additional door paries syles see pg. 18 (or Embarq²), pg. 22 (or signet²), pg. o Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time
 Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



ECLIPSE DECORATIVE GLASS

Eclipse features double gluechip and clusters of bevel with a traditional and harmonious design. Eclipse promotes classical elegance and privacy.

CAMING FINISH

	SS	
Zinc	2	1

Patina

Specify caming finish using these codes: Brass - ECB, Zinc - ECZ, Patina - ECP

PRIVACY RATING 1 2 3 4 5 6 **7** 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



All Full Wood Frame and Composite Frame Entry Systems using Eclipse Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Eclipse Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613ECBOł







243ECB





439ECB†



230ECB

419ECB†

400ECB†



140ECB 440ECB†

ECLIPSE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

					Do	ors					Side	elites	8' D	oors	8' Sidelites
	460	350	150	243	430	439	230	419	400	110	160	130	440	150	140
Embarq / Signet Mahogany Fiberglass	•		•		•			•			•	•			
Embarq / Signet Cherry Fiberglass	•		•	٠	٠			٠			•	٠	*	*	*
Embarq / Signet Oak Fiberglass	•		•	٠	٠			•			•	•			
Embarq / Signet Knotty Alder Fiberglass	•				٠						•				
Signet Fir Fiberglass	•										•				
Signet Smooth Fiberglass	•		٠								•				
Heritage Woodgrain Textured Fiberglass	•	•	•	٠	٠	٠	•	٠	•		•	٠			
Heritage Smooth Fiberglass	•	•	٠	•	٠	٠	٠	٠	•		•	•			
20-Gauge Woodgrain Textured Steel	•	٠			٠	٠		٠	•		0	0			
20-Gauge Smooth Steel	•	•	•		•	•	•	•	•	•	0	0			

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time

Embarq doors and sidelites are not available in 8' heights

Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

FLORENCE DECORATIVE GLASS

This traditional style is accented with a creamy alabaster glass adding interest and appeal that clearly sets it apart from other decorative designs.

CAMING FINISH



Specify caming finish using these codes: Brass - FLB, Patina - FLP

PRIVACY RATING 1 2 3 4 5 6 7 **8** 9 10

less privacy

Hammered

Clear Beveled

Alabaster

Caming

Micro-iced Granite

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



All Full Wood Frame and Composite Frame Entry Systems using Florence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Florence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.









150FLP+

FEPA













8' DOORS 440FLP† 140FLP 430FLP+ 130FLP



FLORENCE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

						-									-			
					Dc	ors					S	idelite	∋s	٤ ا	3' Door	ſS	8' Sic	delites
	460	440	350	150	240	243	430	230	419	400	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•		•		•	•	•					
Embarq / Signet Cherry Fiberglass	•	٠		٠		٠	٠		٠		٠	٠	٠	*		*	*	
Embarq / Signet Oak Fiberglass	•	•		•					•		•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•						٠				•				*			*
Heritage Woodgrain Textured Fiberglass	•	•	•	٠		٠	٠	•	•	•	٠	•	•		•			•
Signet Fir Fiberglass	•																	
Signet Smooth Fiberglass	•	•		•							•	•						
Heritage Smooth Fiberglass	•	٠	٠	٠		٠	٠	٠	٠	٠	•	٠	٠		•			٠
20-Gauge Woodgrain Textured Steel	•	•	•		•		•		•	•	0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•		•	•	•	•	0	0	0		•			•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel

ł

Requires an additional 6-week lead time

Embarge doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

ESMOND DECORATIVE GLASS

Esmond features small hammered, micro-granite, flat seedy and clear bevels in a splendid old-world style design bringing a unique touch to your entryway.

CAMING FINISH

Patina



1 2 3 4 5 **6** 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



All Full Wood Frame and Composite Frame Entry Systems using Esmond Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Esmond Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



ESMOND STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

440ESM†

140ESM

							Do	ors									Side	lites	5			8' D	oors		8' Sid	lelite
	460	440	449	350	150	240	243	430	439	230	239	420	419	400	160	140	770	130	139	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•					•		•	•	٠	•								
Embarq / Signet Cherry Fiberglass	٠	٠	٠		٠		٠	٠					٠		٠	٠	٠	٠			*			*	*	
Embarq / Signet Oak Fiberglass	٠	٠			•		•	•					٠		•	•	٠	•								
Signet Fir Fiberglass	•											٠			٠		٠			٠						
Embarq / Signet Knotty Alder Fiberglass	•							•							•		٠					*	*			*
Signet Smooth Fiberglass	•	٠			٠							٠			٠	٠	٠									
Heritage Woodgrain Textured Fiberglass	•	٠		•	•		•	•	•	•			٠	•	•	•	٠	•				•				•
Heritage Smooth Fiberglass	•	٠		٠	٠		٠	٠	٠	٠			٠	٠	٠	٠	٠	٠				٠				٠
20-Gauge Woodgrain Textured Steel	•	٠		•		•		•	•				٠	•	0	0	٠	0	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•	•	•		•	•	0	0	•	0	0			•				•

§ Also available in 10" width (which requires an additional

400ESM+

419ESM†

- 4-week lead time). See Price List for design pattern
- Requires an additional 6-week lead time *
- Embarq doors and sidelites are not available in 8' heights
- For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
 Steel sidelites are made from 24-Gauge steel
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

430ESM†

130ESM

437ESM†

150ESM

CARLISLE DECORATIVE GLASS

Carlisle features clear bevels, arctic and seedy glass giving an appealing entrance way to any style of home.

CAMING FINISH

Patina

Zind

Specify caming finish using these codes: Patina - CRP, Zinc - CRZ

Caming Seedy **PRIVACY** RATING

Clear Beveled

Arctic

less privacy

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure

1 2 3 4 5 6 **7** 8 9 10



All Full Wood Frame and Composite Frame Entry Systems using Carlisle Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Carlisle Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



CARLISLE STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

						Do	ors							Si	delit	es			8' D	oors	;	8' Sic	lelites
	460	440	449	350	150	240	243	430	230	420	419	400	160	140	770	130	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•			•		•	•	٠	٠							
Embarq / Signet Cherry Fiberglass	•	٠	٠		٠		•	٠			٠		•	٠	٠	٠		*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•	•			•		•	•	•	•							
Signet Fir Fiberglass	•									٠			•		٠		٠						
Embarq / Signet Knotty Alder Fiberglass	•							•					•		•				*	*			*
Signet Smooth Fiberglass	•	•			٠					٠			•	٠	٠								
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•		•	•	•	•	•	•			•				•
Heritage Smooth Fiberglass	•	•		٠	٠		٠	٠	٠		٠	•	•	٠	٠	٠			٠				•
20-Gauge Woodgrain Textured Steel	•	•		٠		•		•			•	•	0	0	•	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•		•	•	0	0	•	0			•				•

§ Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern Ł

- Requires an additional 6-week lead time Embarq doors and sidelites are not available in 8' heights

† For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)

- Steel sidelites are made from 24-Gauge steel
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

Carlisle Glass

TWILIGHT DECORATIVE GLASS

Twilight is a beautifully decorative silk-screened art. It's unique frosted glass adds to the warmth and privacy of your home.





PRIVACY RATING 1 2 3 4 5 6 7 **8** 9 10

less privacy


more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



All Full Wood Frame and Composite Frame Entry Systems using Twilight Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Twilight Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.









400TWI**†**



TWILIGHT STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

			Doors			Side	lites
	350	430	230	400	110	160	130
Signet Mahogany Fiberglass		•					٠
Signet Cherry Fiberglass		•					•
Signet Oak Fiberglass		•					•
Signet Knotty Alder Fiberglass		•				•	
Heritage Woodgrain Textured Fiberglass	٠	•	٠	•		•	٠
Heritage Smooth Fiberglass	٠	•	٠	•		•	٠
20-Gauge Woodgrain Textured Steel	٠	•		•		0	0
20-Gauge Smooth Steel	•	•	•	•	•	0	0

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel

BRAINSTORM DIALOGUE LAYERED GLASSTM

Appealing to both mid-modern and modern design sensibilities, Brainstorm's exterior vertical pattern and interior chevron motif combine for an appearance with both subtlety and substance. Brainstorm layered glass has a medium to medium-high privacy range.

PRIVACY RATING

1 2 3 4 5 🖌 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure





BRAINSTORM STYLE AVAILABILITY (NOT AVAILABLE AS IMPACT SHIELD PRODUCT)

		Doors		Sidelites		8' Doors		8' Sidelites
	460	440	430	160	460	440	430	160
Signet Mahogany Fiberglass	•	•	•	•				
Signet Cherry Fiberglass	٠	•	•	•		•		
Signet Oak Fiberglass	•	•	•	•				
Signet Knotty Alder Fiberglass	•		•	•			٠	
Signet Fir Fiberglass	•			•				
Signet Smooth Fiberglass	•	•	•	•	•			•
Heritage Woodgrain Textured Fiberglass	•	•	•	•	•		٠	•
Heritage Smooth Fiberglass	•	•	•	•	•		٠	•
20-Gauge Woodgrain Textured Steel	•	•	•	0				
20-Gauge Smooth Steel	•	•	•	0	•		•	•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel

REPARTEE DIALOGUE LAYERED GLASSTM

Repartee's frosted layers and geometric grid combine for a design that plays with opacity and movement. Squares and trapezoids carry on a lively back-and-forth as light and vantage points change their appearance. Repartee layered glass offers a high privacy range.

PRIVACY RATING 1 2 3 4 5 6 7 **8** 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure





REPARTEE STYLE AVAILABILITY (NOT AVAILABLE AS IMPACT SHIELD PRODUCT)

		Doors		Sidelites		8' Doors		8' Sidelites
	460	440	430	160	460	440	430	160
Signet Mahogany Fiberglass	•	•	•	•				
Signet Cherry Fiberglass	•	•	•	•		•		
Signet Oak Fiberglass	•	•	•	•				
Signet Knotty Alder Fiberglass	•		•	•			•	
Signet Fir Fiberglass	•			•				
Signet Smooth Fiberglass	•	•	•	•	•			•
Heritage Woodgrain Textured Fiberglass	•	٠	•	•	•		•	•
Heritage Smooth Fiberglass	•	•	•	•	•		•	•
20-Gauge Woodgrain Textured Steel	•	•	•	0				
20-Gauge Smooth Steel	•	•	•	0	•		•	•

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Steel sidelites are made from 24-Gauge steel

INSPIRATIONSTM ART GLASS

A ProVia exclusive, Inspirations Art Glass allows you to do just what the name suggests-let your doors and windows reflect the inspiration of your imagination with your choice of design and color.

DESIGNS

The process begins with conceptual design. Our twelve beautiful Inspirations Art Glass styles originated from the imagination of our in-house designers.

RESIN BEAD

The design pattern is created on our computer software, and sent to a CNC machine which applies a resin bead to the surface of the glass in one of our four stylish colors.

COLOR FILL

The color fill truly brings the glass to life. Five distinct color palettes are offered empowering you to perfectly reflect the personality of you and your home. Our craftsmen hand-apply this color fill to your glass.

OUR GUARANTEE

The resin bead and color fill are backed by our Lifetime Limited Warranty, and will not fade, blister or peel away from the glass.



SEE MORE INSPIRATIONS

Ask to see our Inspirations Art Glass brochure for available styles and color palettes, or use our ProVia app to create custom color palettes and design your dream door.



Download our free app today!



00

6 R

Download on entryLINK or provia.com/app

1 3 M



LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure




All entry systems with Privacy Glass can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

PRIVACY STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

		_	_	_	_	_	_			_	_	_	_	_		_	_	_	_		_			_	_	-								
									D	00	rs											Side	elite	es			8	5' Do	oors				3' Si	delites
	460	440	449	439	437 4	130	243	240	239	230	112	2 113	3 114	4 11	5 11	16 4	20	419	400 110	770	160	140) 130) 139	120	460 44	0 430	437	420 11	4 11	5 110	6 16	0 140	130 12
Embarq / Signet Mahogany Series	•	٠				•												•		•	•	•	•											
Embarq / Signet Cherry Series	•	٠	٠			•	٠											•		•	٠	٠	•			*							*	
Embarq / Signet Oak Series	•	•				•	٠											•		•	•	•	•											
Signet Fir Series	•																•			•	٠				٠	•			•			•		
Embarq / Signet Knotty Alder Series	•					•														•	•						*	*					*	
Signet Smooth Series	•	٠										٠	٠	•	•		•			•	٠	٠				•						•		
Heritage Woodgrain Textured Fiberglass	•	•		•		•	٠			٠							•	•	•	•	•	٠	•			•	•							•
Heritage Smooth Fiberglass	•	٠		٠		•	٠			٠	٠		٠	•	•		•	٠	•	•	٠	٠	٠			•	٠		٠	٠	٠	•		٠
20-Gauge Woodgrain Textured Steel	•	•		•		•		٠									•	•	•	•	0	0	0	0										
20-Gauge Smooth Steel	•	٠		•	•	•		٠	•	•	•		•	•			•	•	• •	•	0	0	0	0		•	•		•	•	•	•		•

Steel sidelites are made from 24-Gauge steel
Embarg doors and sidelites are not available in 8' heights



8' DOORS 116GLC� 460GLC 160GLC 440GLC† 140GLC 430GLC† 130GLC 437GLC† 114GLC� 115GLC◆

- For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 § Also available in 10" width.
 * Embarg doors and sidelites are not available in 01, in the second sidelites are not available in 10.

- Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
 Only available with Modern Flat Window Trim. Only available with 770 sidelite(s) or 160 sidelite(s) with Modern Flat Window Trim.

Note - Privacy glass is available in Simulated Divided Lites (see pg. 96) and External Grids (see pg 101).



Clear Glass is appropriate on every entry of your home and can still be energy efficient.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

Door Styles	GI	azina	Syster	ms
HALF-LITE OR LARGER	TLK	TLA	DLA	DC
460, 449, 440, 439, 437, 430, 350, 240, 239, 230, 150, 112, 114, 115, 116	•	•	•	•
SMALLER THAN HALF-LITE				
420, 419, 400, 243, 110	•	•	•	•
306, 206, 131, 101, 100				•



All entry systems with Clear Glass can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

CLEAR GLASS STYLE AVAILABILITY (See pages 22-29 for Impact Shield & Windload availability)

												D	oor	s															Sid	elit	es				8	8' D	oor	s				8' Si	ideli [.]	tes
	460	440	149 4	39 43	7 430) 430-	-F 35	24	3 240	239	230	150	112	113	114	115	116	420) 419	400	306	206	131	110	101	100	770	160	140	139	130	120 10	6 460	420	440	430 4	37 15	0 114	115	5 116	5 160	140	130 1	20 77
Embarq / Signet Mahogany Series	٠	•			•							٠							•								•	•	•		•													
Embarq / Signet Cherry Series	٠	•	•		٠	٠		•				٠							٠				*				٠	٠	٠		٠				*		*	:				*		*
Embarq / Signet Oak Series	٠	•			•							٠							٠								•	•	•		•													
Signet Fir Series	•																	•									٠	٠				•	•	٠							•			•
Embarq / Signet Knotty Alder Series	•				•																						•	•								* :	*					*		*
Signet Smooth Series	٠	٠										٠		٠	٠	٠	٠	٠									٠	٠	٠				•					٠	٠	٠	•			
Heritage Textured Fiberglass	٠	•		•	•	•	•	•			٠	٠						•	٠	•	•	•	•		٠	•	•	•	•		•		•			•					•		•	•
Heritage Smooth Fiberglass	٠	٠		•	٠	٠	•				٠	٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	٠		٠	•	٠	٠	٠		٠		•			•		٠	٠	٠	•		٠	٠
20-Gauge Woodgrain Textured Steel	•	•		•	•	•	•		•										٠	•	•	•	•		٠	•	•	0	0	0	0	0												
20-Gauge Smooth Steel	•																											0	0	0	0	0												

Embarq doors and sidelites are not available in 8' heights
 Steel sidelites are made from 24-Gauge steel

	1.1			TRANSON		2/613DC ⊙ pg. 100	512/512D	С о рд. 101
				532DC* pg		pg. 105 616DC9		3DC≎ pg. 100
460DC	160DC 440DC	Ct 140DC	113					
						:0	:	
449DC †	770DC O § 439D0	C† 139DC	437DC †	430DC† 13	0DC 430DC-F†	350DC	243DC	240DC
		.0				IIIII		
239DC	230DC	150DC†	112DC◆	114DC◆	115DC◆	116DC◆	420DC-DS† 120DC	419DC†
400DC†	306DC	206DC	106DC 131	DC 110D	c 101DC	100DC	Stood 's	60DC 160DC
440DC†		DDC+ 13000				114DC◆	litsDC◆	116DC◆

§ Also available in 10" width.

* Embarq doors and sidelites are not available in 8' heights

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
Steel sidelites are made from 24-Gauge steel
Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls
Only available with Modern Flat Window Trim. Only available with 770 sidelite(s) or 160 sidelite(s) with Modern Flat Window Trim.

Clear Glass

Blind operator as viewed from the interior of your home.

INTERNAL BLINDS

<u>Si</u>delites

130

0

0

160

0

8' Doors

440

430

.

•

•

Internal Blinds are constructed with sturdy white aluminum and enclosed in tempered safety glass. Easy to clean; no more dusting of blinds. Internal Blinds are suitable for entry doors, sidelites and patio doors and carry a 10-Year Warranty.

WHITE INTERNAL BLINDS STYLE AVAILABILITY

Doors

430

*

*

*

.

230

.

440

*

*

.

(NOT AVAILABLE AS IMPACT SHIELD PRODUCT)

460

*

*

*

*

*

*

•

•

.

.

Additional Light Control - BLR styles can also be raised and lowered completely.

Internal Blinds also available with optional Low-E Note: 160BLD-IGT, 160BLD-IGP, 160BLD-IGC, and 160BLD cannot be raised and lowered



111

All entry systems with Internal Blinds can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

Door Styles		
INTERNAL BLINDS	DLA	DC
With Internal Grids	•	•
INTERNAL BLINDS		
Without Grids	•	•

ENERGY STAR Certified

Refer to pg. 37 for Glazing Systems information Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

o Steel sidelites are made from 24-Gauge steel

Signet Mahogany Fiberglass Signet Cherry Fiberglass

Signet Knotty Alder Fiberglass

Heritage Smooth Fiberglass

20-Gauge Smooth Steel

20-Gauge Woodgrain Textured Ste

Heritage Woodgrain Textured Fiberglass

Signet Fir Fiberglass

Signet Smooth

Signet Oak Fiberglass

* On Signet doors, blind operator will be operator pictured on page 94


WITH TRADITIONAL (COLONIAL) INTERNAL GRIDS











WITH **PRAIRIE** INTERNAL GRIDS









WITH COTTAGE INTERNAL GRIDS










230BLR-IGC∆

BLINDS WITHOUT INTERNAL GRIDS



† For additional door panel styles see pg. 18 (for Embarq[®]), pg. 22 (for Signet[®]), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
△ Not available in Signet Series

* On Signet doors, blind operator will be operator pictured on page 80

Note: 160BLD-IGT, 160BLD-IGP, 160BLD-IGC, and 160BLD cannot be raised and lowered



430BLR-IGC†∆







Internal blinds are now offered in four neutral hues to complement any room in the house. Easy to clean; no more dusting of blinds. Internal Blinds are suitable for entry doors, patio doors and windows. Offering a 10-Year Warranty.

AVAILABLE COLORS





(require additional lead time)

*colors not available in sidelites



All entry systems with Internal Blinds can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

COLORED INTERNAL BLINDS STYLE AVAILABILITY (NOT AVAILABLE AS IMPACT SHIELD PRODUCT)

		Doors	;	8' C	oors
	460	440	430	430	440
Signet Mahogany Fiberglass	•	٠	٠		
Signet Cherry Fiberglass	•	٠	٠		٠
Signet Fir Fiberglass	•				
Signet Oak Fiberglass	•	•	•		
Signet Smooth	•	•			
Signet Knotty Alder Series	•		•	•	
Heritage Woodgrain Textured Fiberglass	•	•	•	•	
Heritage Smooth Fiberglass	•	•	•	•	
20-Gauge Woodgrain Textured Steel	•	•	•		
20-Gauge Smooth Steel	•	•	٠	•	

 ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information
 Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

BLINDS WITHOUT INTERNAL GRIDS



WITH **TRADITIONAL** (COLONIAL) INTERNAL GRIDS







WITH **PRAIRIE** INTERNAL GRIDS








WITH COTTAGE INTERNAL GRIDS








† For additional door panel styles see pg. 18 (for Embarq[®]), pg. 22 (for Signet[®]), pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
Δ Not available in Signet Series









440BLR†

SIMULATED **DIVIDED LITES**

Simulated Divided Lites (SDL) are reminiscent of old world craftsmanship when separate pieces of glass were mulled together with wooden grids. We deliver that same stunning appearance through our high-tech stained fiberglass 1" wide x ¹¹/₃₂" thick grids combined with the energy efficient qualities of our ComforTech glass packages.



CRAFTSMAN Only available for Signet Fir Series



437DC-SD8**†∆**



CONTOURED Available for all styles shown, except for Signet Fir Series

BEVELED GLASS

The beauty of beveled glass and caming combine for a distinguished take on traditional divided lights.

Each piece of beveled glass is secured with caming for the beautiful look of a true divided light, with the efficiency of a single doorlight.





440DC-SDT+ 140DC-SDT



SIMULATED DIVIDED LITES STYLE AVAILABILITY

(See pages 22-29 for Impact Shield & Windload availability)

			Do	ors						Side	lites		8	3' D	oor	5	8' Sic	lelite
	460	440	449	430	420	419	230	240	160	140	130	120	440	420	430	437	140	120
Embarq / Signet Mahogany Fiberglass	•	•		•		•			•	•	•							
Embarq / Signet Cherry Fiberglass	•	٠	٠	٠		٠			•	٠	٠		*				*	
Embarq / Signet Oak Fiberglass	•	•		•		•			•	•	•							
Signet Fir Fiberglass	•				٠				•			٠		٠				٠
Embarq / Signet Knotty Alder Fiberglass	•			•					•						*	*	*	
Signet Smooth Fiberglass	•	٠							•	٠								
Heritage Woodgrain Textured Fiberglass 🔺	•	٠		•			•		•	•	•				•			
Heritage Smooth Fiberglass 🔺	•	٠					•		•	٠	٠				٠			
20-Gauge Woodgrain Textured Steel 🔺	•	٠		٠				•	•	٠	•				•			
20-Gauge Smooth Steel 🔺	•	•		•			•	•	•	•	•				•			

Door Styles	Gl	azing	Syster	ns
HALF-LITE OR LARGER	TLK	TLA	DLA	DC
460, 440, 449, 430, 437			•	•
SMALLER THAN HALF-LITE				
420, 419			•	•

ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®)
Embarq doors and sidelites are not available in 8' heights
Requires plugless trim

 Δ Not Available with beveled glass

Note - All doors and sidelites with SDL's are available with privacy glass. Note - SDL's match stain or paint of door.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



All entry systems with Simulated Divided Lites can be ENERGY STAR[®] Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.



CONTOURED GRID COLORS AND STAINS

Snow Mist	Café Cream	Sandpiper Beige	Sandstone	Clay	Forest Green	Mountain Berry	Rustic Bronze
Tudor Brown	Coal Black†	Honey Wheat† & Light Oak†	Oak†	American Cherry† & Cherry†			
TWO-TON	E CONTOL	IRED GRIDS					
Snow Mist	Snow Mist	Snow Mist	Snow Mist	Snow Mist	Snow Mist	Snow Mist	
Café Cream	Sandpiper Beige	Sandstone	Forest Green	Mountain Berry	Coal Black†	Honey Wheat & Light Oak	
Snow Mist	Snow Mist	Snow Mist	Snow Mist	Sandpiper Beige	e Sandpiper Beig	je Sandpiper Bei	ge
Oak†	Almond† & Dark Oak†	American Cherry† & Cherry†	Toffee†& Traditional Cherry†	Honey Wheat† & Light Oak†		Almond† & Dark Oak	+
Sandpiper Beige	Sandpiper Beige	Sandstone	Sandstone	Sandstone	Sandstone	Sandstone	
American Cherry† & Cherry†	Toffee† & Traditional Cherry†	Honey Wheat† & Light Oak†	Oak†	Almond† & Dark Oak†	American Cherr & Cherry†	y† Toffee†& Traditional Cherr	



energy		
energy		Į
	energy	Ì

All entry systems with Internal Grids can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

INTERNAL GRIDS STYLE AVAILABILITY

					Do	ors						Sic	delit	tes			8'	Doc	ors			8' S	idelit	es
	460	449	440	437	430	240	230	420	419	400	770	160	140	130	120	460	420	440	430	437	160	140	130 1	20 770
Embarq / Signet Mahogany Series	•		٠		٠				٠		•	٠	٠	٠										
Embarq / Signet Cherry Series	•	٠	٠		٠				٠		٠	٠	٠	٠				*				*		*
Embarq / Signet Oak Series	•		٠		٠				٠		٠	٠	٠	٠										
Signet Fir Series	•							٠			٠	٠			٠	٠	٠				٠			•
Embarq / Signet Knotty Alder Series	•				٠						٠	٠							*	*		*		*
Signet Smooth Series	•		٠					٠			٠	٠	٠			٠					٠			
Heritage Textured Fiberglass	•		٠		٠		٠	٠	٠	٠	٠	٠	٠	٠		٠			٠		•		•	٠
Heritage Smooth Fiberglass	•		٠		٠		٠	٠	٠	٠	٠	٠	٠	٠		•			٠		٠		•	٠
20-Gauge Woodgrain Textured Steel	•		٠	•	٠	٠		٠	٠	٠	•	0	0	0										
20-Gauge Smooth Steel	•		٠	٠	٠	٠	٠	٠	٠	٠	٠	0	0	0		•			٠		٠		•	•

Door Styles	Glazi	ng Sys	stems
HALF-LITE OR LARGER	TLA	DLA	DC
460, 440, 430, 240, 230	•	•	•
430, 440 Heritage Fiberglass only	•	•	•
449, 437			
SMALLER THAN HALF-LITE			
420, 419, 400	•	•	

ENERGY STAR Certified

Refer to pg.37 for Glazing Systems information Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

* Embarq doors and sidelites are not available in 8' heights

• Steel sidelites are made from 24-Gauge steel

INTERNAL GRIDS CONT'D

TRANSOMS





612/613DC-IGSO Not available in Per cil Grids













616DC-IGPO





N/A in Pencil Grids







460DC-IGC 160DC-IGC













External grids will match the door's paint or stain color. Note: All doors with external grids (except for 410 style) are available with privacy glass.



All entry systems with External Grids can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

Door Styles	Gl	azing	Syste	ms
HALF-LITE OR LARGER	TLK	TLA	DLA	DC
460, 430, 439, 230	•	•	•	•
SMALLER THAN HALF-LITE				
410				•
400	•	•	•	•

ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

EXTERNAL GRID STYLE AVAILABILITY

			Do	ors			Side	lites
	460	430	439	230	410	400	160	130
Heritage Woodgrain Textured Fiberglass	٠	•	•	•	•	•	•	٠
Heritage Smooth Fiberglass	•	•	•	•	•	•	•	•
20-Gauge Woodgrain Textured Steel	٠	•	•		•	•	0	0
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0

For additional door panel styles see pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Δ Not available in 1" warm edge. Also, window trim screw plugs are not available for this door style.
 Steel sidelites are made from 24-Gauge steel

STAIN FINISHES

Applied with care, by professionals. If you buy an entry system and finish it yourself, chances are it's the first door you've ever painted or stained. At ProVia[®], stains are hand-applied by professional craftsmen, many who have been perfecting their work for years.

EMBARQ[®] & SIGNET[®]

EMBARQ AND SIGNET

7-STEP STAIN FINISHING SYSTEM



- 1. DURAFUSE™ Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
- 2. HAND-APPLIED STAIN FINISH formulated exclusively for Signet fiberglass doors
- 3. A layer of 2-part urethane, catalyst-hardened CLEAR COAT WITH UV INHIBITORS is applied
- 4. Clear coat is OVEN-CURED for lasting durability
- 5. The door is **HAND-SANDED**, preparing the surface for the second layer of clear coat
- 6. A second layer of 2-part urethane, catalyst-hardened CLEAR COAT WITH UV INHIBITORS is applied
- 7. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Cherry & Mahogany Stains (shown on Cherry)



Oak, Knotty Alder & Fir Stains (shown on Oak)



15-YEAR FINISH WARRANTY* Embarq and Signet Fiberglass *Warranty time period may be limited in extreme exposure applications. See warranty for details.

Always refer to our color selector for accurate color representation.

EMBARQ[®] & SIGNET[®] GLAZED FINISHES

Distinctive beauty achieved through a creative hand-applied finish giving each door a unique aged look.

EMBARQ AND SIGNET

9-STEP GLAZED FINISHING SYSTEM



- **1. DURAFUSE™** Proprietary P³Fusion Preparation Processes ensuring unprecedented finish durability
- 2. A 2-part urethane, catalyst-hardened BASE COAT (prime paint) is applied
- 3. Base coat is OVEN-CURED for lasting durability
- 4. HAND-APPLIED STAIN FINISH formulated exclusively for Signet fiberglass doors
- 5. A layer of 2-part urethane, catalyst-hardened CLEAR COAT WITH UV INHIBITORS is applied
- 6. Clear coat is OVEN-CURED for lasting durability
- 7. The door is **HAND-SANDED**, preparing the surface for the second layer of clear coat
- 8. A second layer of 2-part urethane, catalyst-hardened CLEAR COAT WITH UV INHIBITORS is applied
- **9.** The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Knotty Alder, Mahogany, Fir, Cherry, Oak Glazed Finishes (Shown on Oak)



15-YEAR FINISH WARRANTY*

Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Always refer to our color selector for accurate color representation.

HERITAGE[™] & LEGACY STEEL[™]

LEGACY

6-STEP STAIN FINISHING SYSTEM



- Steel doors are A40 Hot-dipped Galvannealed (300% more coating thickness than 40Z full electrolytic zinc coated steel) to resist rust inside and out
- 2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- **3.** Base coat is $\ensuremath{\textbf{OVEN-CURED}}$ for lasting durability
- 4. HAND-APPLIED STAIN FINISH is added for enhanced beauty
- 5. A layer of 2-part urethane, catalyst-hardened CLEAR COAT WITH UV INHIBITORS is applied
- 6. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Dark Mahogany

HERITAGE

5-STEP STAIN FINISHING SYSTEM



- **1.** A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- 2. Base coat is OVEN-CURED for lasting durability
- **3. HAND-APPLIED STAIN FINISH** is added for enhanced beauty
- 4. A layer of 2-part urethane, catalyst-hardened CLEAR COAT WITH UV INHIBITORS is applied
- 5. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Heritage & Legacy Stains (shown on Oak)

Cherry



*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Always refer to our color selector for accurate color representation.


PAINT FINISHES

We do the finishing, so you don't have to.

You wouldn't try to paint one of these yourself, so why should it be any different when it comes to staining or painting your entry door?



LEGACY PAINTS **5-STEP** PAINT FINISHING SYSTEM



- Steel doors are A40 Hot-dipped Galvannealed (300% more coating thickness than 40Z full electrolytic zinc coated steel) to resist rust inside and out
- 2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- **3.** Base coat is $\ensuremath{\textbf{OVEN-CURED}}$ for lasting durability
- **4.** The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
- 5. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

HERITAGE PAINTS **4-STEP** PAINT FINISHING SYSTEM



- **1.** A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- **2.** Base coat is $\ensuremath{\text{OVEN-CURED}}$ for lasting durability
- **3.** The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
- **4.** The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish


10-YEAR FINISH WARRANTY* Heritage and Legacy Doors

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

EMBARQ[®], SIGNET[®], HERITAGE[™] & LEGACY[™] STEEL **PAINT FINISHES**

EMBARQ AND SIGNET PAINTS

5-STEP PAINT FINISHING SYSTEM



- 1. DURAFUSE™ Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
- 2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- 3. Base coat is OVEN-CURED for lasting durability
- **4.** The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
- **5.** The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

15-YEAR FINISH WARRANTY*

Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.



Always refer to our color selector for accurate color representation. † Limited Colors. Matching cladding and caulking not available.

TRENDING COLORS

Color trends are always changing. ProVia's color palette has been completely refreshed to give you even more paint color options for your entry doors, vinyl windows, patio doors and Storm Doors.

All of our traditional hues have been categorized and new "trending" colors have been added, creating three very distinct color palettes to suite your taste: Natural Instincts, Freshly Picked and Stately Shades. Trending colors **NOW AVAILABLE** on Storm Doors



FRESHLY PICKED PAINT FINISHES



STATELY SHADES PAINT FINISHES



Always refer to our color selector for accurate color representation.

CUSTOM PAINT COLORS



Still searching for the perfect color?

Custom color-matching is also available on our Entry Doors, Aeris Windows and Patio Doors, Endure Windows, Patio Doors (exterior only) and Storm Doors.

Custom stains also available on Signet Fiberglass and Aeris Windows and Patio Doors.

Additional lead-time required.



HARDWARE

We offer a variety of designs and finishes, from angular to flowing, classic to contemporary, all with their own security features, unique functionality, and advanced technology. You'll be sure to find the features and design that will ensure your front door is the perfect complement to your new entryway.







TRIENNUM® MULTI-POINT HARDWARE

The Trilennium Multi-Point locking system provides more than just security. It offers homeowners better door closure and sealing than a single point lock.

- Three 1" deadbolts latch with deadbolt throw
- Deadbolts include anti-saw hardened steel pin.

B

Α

B

В

- A solid I-beam runs the full length of the lock, and increases the strength and precision of the lock.
- Latch and deadbolt release with a single downward movement.



Top and bottom latch design allows for door misalignment and ⅔"pull-in when deadbolted.





ECLIPSE



PINNACLE (Not available in Black Finish)





Trilennium hardware is required on all 8' Signet® and Heritage[™] fiberglass doors. Optional on all other fiberglass doors.

Also available on all 20-gauge Legacy steel doors.

NOT available on Steel L-Frames

Trilennium hardware has a 10-Year warranty on materials and workmanship.

Trilennium hardware is NOT available on French Doors in Certified Wind Load or Impact Shield regions.

TRILENNIUM HARDWARE IS AVAILABLE IN THESE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Flat Bronze*

Lifetime Black

* Flat Bronze does not coordinate with Black/Bronze accessories.

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.



Hoppe Multi-Point hardware offers the additional security of four points of latching when the door is locked, and the easy operation of one point of latching when the door is unlocked.

- Stainless Steel and other non-corrosive components.
- Anti-Back Drive prevents locking points from disengaging from the outside for added security.
- Latch Blocker on inactive systems will not allow multipoint activation until inactive system is activated.
- Lock Out Feature on interior system allows for multipoint activation from the exterior of the door by lifting handle.
- Backplate and cylinder housing are forged into one piece for improved appearance and easier installation.
- Simultaneous retraction feature enables all locking points to be retracted by pushing down on the inside handle.

HOPPE HARDWARE IS AVAILABLE IN THESE FINISHES

Lifetime Bright Brass


Lifetime Satin Nickel

(Hoppe hardware is NOT tested for Certified Wind Load or Impact Shield regions)

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

*Not available on steel I-frames, patio units, and french doors

EXTERIOR STYLES





See video at provia.com/provia-videos for features and operation

EMTEK's Mortise hardware features the added advantages and options that come with push-button controls.

- Push-button passage controls For more passage and locking options
- Heavy-duty Forged Brass Construction - For long lasting beauty
- Solid Brass Nose Bolts on Latches - For dependable use
- Lifetime Mechanical Warranty Our guarantee of value
- Lifetime Anti-tarnish Finish Warranty - Beauty for life

Push button passage controls provide added security and peace of mind. When the upper button is pressed in, the mortise lock is only accessible by using a key.

To activate the Passage Function, push in the lower button. This will allow you to access the thumb latch without a key.

Note: As long as the Passage Function is NOT engaged, the door will lock automatically when latched, and will not allow entry without a key.

EMTEK MORTISE HARDWARE IS AVAILABLE IN THESE FINISHES

Lifetime Bright Brass Lifetime Satin Nickel Lifetime Oil Rubbed Bronze

Lifetime Black

(EMTEK Mortise hardware is NOT tested for Certified Wind Load or Impact Shield regions)

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

(EMTEK Mortise hardware is only available for Signet Fiberglass and 20-gauge steel doors)

EXTERIOR STYLES







Craftsman*

NEW Memphis

NEW Manhattan*

Albany

INTERIOR STYLES



Oval Beaded Egg (Shown on Memphis)



Hammered Lever (Shown on Craftsman*)

Coventry



Coventry Lever (Shown on Memphis)

Square Knob (Shown on Manhattan)



Cortina Lever (Shown on Albany)

EXTERIOR / INTERIOR AVAILABLE COMBINATIONS

Exterior Handles	Interior Levers and Knobs								
	Oval Egg	Square Knob	Coventry Lever	Hammered Lever	Cortina Lever				
Memphis	•	•	•						
Manhattan*	•	٠	•						
Craftsman*				•					
Albany					•				

* Not available in Bright Brass Finish







EMTEK's unique Interconnect Device provides the security of a locking deadbolt while providing the means for a panic-proof exit. Turning the interior knob or lever simultaneously retracts both the deadbolt and passage latches.

- Heavy-duty Forged Brass Construction - For long lasting beauty
- Durable Springs To prevent lever sag
- Threaded Brass Tubes Solid brass nose bolts on latches
- Lifetime Mechanical Warranty Our guarantee of value
- Lifetime Anti-tarnish Finish Warranty - *Beauty for life*

EMTEK HARDWARE

IS AVAILABLE IN THESE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Oil Rubbed Bronze

Lifetime Black

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

EXTERIOR STYLES (Single Point Lock)





æ





MODERN RECTANGULAR

(Two Point Lock)

Panic-proof exit not available in Modern Rectangular hardware



Round Hanover Knob*

Lever*

Hardware

Melrose

Imperial ◊

Ribbon & Reed ◊

Marietta

INTERIOR STYLES

(Any interior handle can be used with any exterior handle)





Egg (Shown on Melrose)

◊ Not available in Black

Egg (Shown on Marietta)

Cortina (Shown on Orleans)

Turino (Shown on Imperial and Ribbon & Reed)





Lever*

* Not available in Bright Brass finish



BRINKS® PUSH PULL ROTATE HARDWARE


Brinks' Home Security Push Pull Rotate Knobs and Levers are the easiest, most comfortable way to open a door. With just one finger, an elbow, or your hip, you can simply push or pull your way through a door. Great if you have your hands full or free!

BRINKS HARDWARE IS AVAILABLE IN THESE FINISHES

10-Year Satin Nickel

10-Year Aged Bronze

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.



EXTERIOR STYLES



Anderson with Brynne Deadbolot*

INTERIOR STYLES





Harper Lever with Brynne Deadbolt





Harper Lever with Almarrion Deadbolt

Harper Lever with Almarrion Deadbolt





Stafford Knob with Almarrion Deadbolt*

EXTERIOR / INTERIOR AVAILABLE COMBINATIONS

Exterior Handles	Interior Levers and Knobs					
	Harper Lever	Stafford Knob				
Anderson	•					
Harper	٠					
Stafford		•				





Stafford Knob with Almarrion Deadbolt*

SCHLAGE® VINTAGE HARDWARE

Schlage Vintage hardware offers you much more than just great looks. Look to Schlage for hardware that looks great and lasts.

- Solid Cast Brass For long lasting beauty
- Maximum Security Deadbolt
 For peace of mind
- Nickel Silver Pins and Keys For smooth, reliable operation
- Heavy Duty Springs
 For durable and "droop-free"
 levers
- Superior Parts and Design Tested for over 400,000 cycles of operation
- Lifetime Mechanical Warranty Our guarantee of value
- Lifetime Anti-tarnish Finish Warranty Beauty for life

SCHLAGE VINTAGE HARDWARE IS AVAILABLE IN THESE FINISHES

Lifetime Bright Brass Lifetime Satin Nickel

Lifetime Antique Brass

Lifetime Black

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

Antique Brass finish is NOT available.

EXTERIOR STYLES









Addison*



Camelot



Plymouth

INTERIOR STYLES





SCHLAGE® ELECTRONIC KEYPADS



The Schlage Sense Smart Deadbolt makes daily life easier and more convenient. Enter an access code on the touchscreen to unlock the door instead of searching your pockets for keys. Pairing the lock with your smartphone over Bluetooth® is as easy as pairing your phone with your car, and the free Schlage Sense app makes setting up and using the lock as simple as checking email. Share access with trusted friends and family with just a few taps – no more keeping track of spare keys.









Lifetime Satin Nickel Lifetime Black

ELECTRONIC DEADBOLT

ELECTRONIC KEYPAD DEADBOLT

ACCENT LEVER **ELECTRONIC LOCKSET**







Exterior

Electronic locksets and deadbolts utilize Schlage's Innovative keyless access. It's convenient and is customizable to fit your security needs.

- Deadbolt is available with any Schlage entry hardware
- 9-volt battery included
- Lighted keypad
- Up to 19 user codes
- Easy to add or delete codes
- Lifetime Mechanical and 3-Year **Electronics Warranty**

AVAILABLE FINISHES

Lifetime Bright Brass Lifetime Satin Nickel Lifetime Antique Brass

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

Antique Brass finish is NOT available.

TOUCH KEYPAD ELECTRONIC **KEYLESS DEADBOLT**

ACCENT LEVER TOUCH KEYPAD ELECTRONIC **KEYLESS LOCKSET**





Exterior

Interior

- Fingerprint-resistant
- Works in the rain and when you're wearing gloves
- 100% pick-proof
- Sleek without sacrificing strength
- 2-year battery life with a 9V battery backup
- Illumination when you need it, on both the numbers and the lever
- Enhanced Security
- 100% bump-proof
- Graded Best in Residential Security, Durability, and Finish


AVAILABLE FINISH

Lifetime Black

SCHLAGE® CLASSIC HARDWARE

Schlage Classic hardware can fill your needs when you desire something understated, yet beautiful and lasting. Choose from an assortment of finishes.

SCHLAGE CLASSIC **HARDWARE** FINISHES



Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

Antique Brass finish is NOT available.

SCHLAGE CLASSIC DOOR LOCKSETS AND DEADBOLTS



Accent/Addison Keyed Lockset*



Flair Keyed Lockset



Addison Trim



Century Trim §



Thumbturn 1" Deadbolts

126



Accent Keyed Lockset



Latitude Lever with Century Latitude Lever with Collins Trim Keyed Lockset §



Exterior Interior Maximum Security Double Key 1" Deadbolt ♦



Exterior Interio Georgian Key in Knob Lockset




Trim Keyed Lockset ‡



Interior Only 1-Sided Thumbturn 1" Deadbolt ◊ (Only available in 20-Gauge Steel or Signet Fiberglass)

Interior Only 1-Sided Thumbturn Deadbolts on any door which is used for egress may be a safety hazard in times of emergency. Double Key Deadbolts on any door which is used for egress are a safety hazard in times of emergency.



- ‡ Only available in Satin Nickel finish
- § Only available in Satin Nickel and Lifetime Black finish







Accent/Addison Passage Latch*

Accent Passage Latch





Century Trim §

Latitude Lever with Collins Trim ‡



Flair Passage Latch



Georgian Passage Latch



Latitude Lever with



OPTIONAL ACCESSORIES

Sometimes the smallest things make the biggest difference. Our accessories add a lot to the look of your entry system.



OPTIONAL **DECORATIVE HINGES** NOT tested for Impact Shield regions.

Also available in Satin Nickel & Oil Rubbed Bronze (Inswing only)



ACCESSORIES FINISH AVAILABILITY 5-Year Mechanical Warranty

	L	Lifetime Finish			[.] Finish	No Finish Warranty	Impact Shield 5-Year Finish
Accessories	Bright Brass	Satin Nickel	Black/ Bronze	Bright Brass	Antique Brass	Oil Rubbed Bronze	Bright Brass, Satin Nickel & Black/Bronze
Colonial Door Knocker	•	•				•	 (N/A Black/Bronze)
Classic Door Knocker/Viewer	•	•	•	•	•		•
Classic Door Knocker	•	•	٠	•	•		•
Magazine Slot*	•	•	•	•	•		
Mail Slot*	•	•	•	•	•		
Kick Plate	•	•	•	•	•		•

Mail slot and magazine slot are not available on 003C, 006C, 008P, 009, 420-DS, 420-2P, 420-3P, 110, 243, 440, 240, 449, 460, & 350 door styles.
 Additionally, magazine slots are also not available on 002C-449 & 003 door styles.
 ** Peepsite available in Bright Brass, Chrome (recommended for use with Satin Nickel hardware finish) and Aged/Antique (recommended for use with Black, Oil Rubbed Bronze or Antique Brass hardware finish) with 5-year finish warranty.



The Hinge Straps, Clavos and Speakeasy are options that can give your entryway an old world look. Combine these options with our Signet[®] Knotty Alder Series to achieve a rustic or antique style. Hinge Straps, Clavos and Speakeasy are constructed of durable flat black aluminum. **HINGE STRAPS** Available on all door styles shown on opposite page Available as an Impact Shield product.

CLAVOS Available only on door styles shown with planks on opposite page (002CP-449, 002CP-437, 8' 002CP-449 and 8' 002CP-437)

Available as an Impact Shield product.



SPEAKEASY Available on all door styles shown below except for 8' 002C-437 and 8' 002CP-437

NOT tested for Certified Wind Load or Impact Shield regions. (Doors with Speakeasy are not ENERGY STAR® certified.) ProVia® does not recommend entry doors with Speakeasy applications in the Northern climate zone. We also recognize some of the North-Central climate zone areas are not suitable for this application as well. We recommend this application to be used only in the South-Central and Southern climate zones. Speakeasy applications carry a 5-year limited warranty. See price book for more details.





Exterior

Interior



Interior

Exterior

SEEDY GLASS DOOR (single pane)

Not available on Embarq

FAUX SPEAKEASY

Enjoy the decorative look of a speakeasy without impeding the energy efficiency of the entry door. Available on all door styles shown below.


IRON DOOR

Not available on Embarq






SIGNET® & EMBARO® FIBERGLASS DOOR STYLES








002CP-437

8' SIGNET FIBERGLASS DOORS



Signet/Embarq Cherry

Signet/Embarq Oak Signet/Embarq Knotty Alder **+** 0

Ū Signet Smooth

OPTIONS



PlexiDor[®] **PET DOOR**

(NOT available in Certified Wind Load or Impact Shield regions) (Doors with Pet Door are not ENERGY STAR® certified)

Factory Installed - Available on Flush Doors Only

- Shatter resistant saloon-styled door panels provide durability and insulation
- Thermo-pane panels lined with high density weather seal for maximum energy efficiency
- Includes lock, two keys & steel security plate
- Available in White, Silver, and Bronze frames
- Available on the following styles: 001, 430DC-F, 430VNT-F, 430DC-EG-F, 430DC-IGT-F, 100DC, 101DC, 131DC & 306DC

Medium: 9" x 12" opening for pets up to 40 lbs. Large: $11\frac{3}{4}$ " x 16" opening for pets up to 100 lbs. X-Large: $15\frac{3}{4}$ " x $23\frac{5}{4}$ " opening for pets up to 220 lbs.





FREEDOM® PET DOOR

(NOT available in Certified Wind Load or Impact Shield regions) (Doors with Pet Door are not ENERGY STAR® certified)

Factory Installed - Available on Flush Doors Only


- Solid aluminum construction with locking panel
- Soft single flap for tight weather seal
- Antique White mitered aluminum frame
- Available on the following styles: 001, 430DC-F, 430VNT-F, 430DC-EG-F, 430DC-IGT-F, 100DC, 101DC, 131DC & 306DC
- Also available on storm doors. See pg. 156.

Medium: $8\frac{1}{4}$ " x $12\frac{1}{4}$ " opening for pets up to 40 lbs. Large: $10\frac{1}{4}$ " x $16\frac{1}{4}$ " opening for pets up to 100 lbs. X-Large: $13\frac{3}{4}$ " x $23\frac{3}{4}$ " opening for pets up to 220 lbs.



CASING

Put the finishing touch on the inside of your entryway with our beautiful interior casing. Available in Cherry, Mahogany, Fir, Oak or Poplar wood.



Available for any door configuration including transoms.

Signet[®] stains are available on Cherry, Mahogany, Oak or Fir casing, and Heritage[™] and Legacy[™] stains are available on Oak or Poplar casing. Paint and glazed finishes are available on Poplar casing.

Custom Casing

Don't see a casing style you need? We have a custom casing program that can meet your needs. Contact your dealer for additional information on our Custom Casing program.

- * Only available in Fir and Poplar
- ▲ NOT available in Fir

3" Wide Brickmold Choose from our standard 2" brickmold or our wider 3" brickmold.

ALUMINUM PRE-FIT CLADDING

Cladding is worth the small investment. You can add cladding to any FrameSaver[®] or PermaTech[™] Composite Frame.

- Protective
- Stays beautiful
- Maintenance-free
- Factory applied

TEXTURED CLADDING COLORS



TUFTEX **SMOOTH CLADDING** COLORS

Aluminum trim coil with mar-resistant smooth finish.

Snow Mist Sandpiper Beige Sandstone Classic Bronze*


Smooth Sandstone cladding is a close match, but not an exact match to Sandstone paint color.

* Smooth Classic Bronze cladding does not match Rustic Bronze cladding color or Rustic Bronze paint color.

HINGED PATIO DOORS

Hinged Patio Doors are swinging patio door systems available in 2 or 3-lite units and constructed of the same solid quality Signet[®] and Heritage[™] Fiberglass, and Legacy[™] Woodgrain Textured or Smooth Steel doors as our entry door units.

Designer Patio Doors with Heritage Fiberglass are NOT available in Certified Wind Load regions.



PATIO DOOR **STANDARD FEATURES**



A keyed Schlage[®] flair handleset with a Maximum Security thumbturn deadbolt is included. Choose from bright brass, antique brass, satin nickel or aged bronze finish. Optional Lifetime finishes available.

The lock area is reinforced with a **20-gauge steel security plate** for added strength.




Spring-loaded latch system automatically engages upon closing. Latch also includes interior locking feature. BetterVue® fiberglass screen mesh is standard. Heavy-duty fiberglass, aluminum or SeeVue® stainless steel screen is optional.



Suspended by ball bearing rollers this **top-hung heavy-duty aluminum screen frame** reduces binding, creating effortless operation. Screen frames are available in all 16 paint colors.



 $Z\text{-}AC^{\mbox{\scriptsize TM}}$ Threshold with an auto-adjusting riser. Available in Mill or Anodized Bronze Finish



OPTIONS

Custom Widths and Heights - Need a little more height or a little less width? We are pleased to offer customized patio door widths and heights in ½" increments. Door Swing - (Doors viewed from above. Inswing only.) Finishes - Patio doors are available in all finishes shown on pages 102-109.

STANDARD SIZING INFORMATION

	Dov	vnsized (St	andard) P	atio Doors				Full Size F	atio Doors	
Patio Unit Sizing	Patio Width	Unit Size	Rough Opening	Brickmold to Brickmold*	Patio Height	Patio Width	Unit Size	Rough Opening	Brickmold to Brickmold*	Patio Height
	60"	591/16"	60¾16"	6115/16"		60"	615⁄8"	62¾"	641/8"	
	64"	637/16"	643/16"	6515/16"	Rough Opening Height	64"	65%"	663/8"	681/8"	Rough Opening Height
	68"	671/16"	68 ³ /16"	69 ¹⁵ ⁄16"	79 ⁷ /8"	68"	69%"	70¾"	721/8"	82"
	72"	717/16"	723/16"	7315/16"	Unit Height Not	72"	73%"	74¾"	761/8"	Unit Height Not
	90"	881/16"	895/16"	91 ¹ ⁄16"	Including Brickmold 79 ³ /8 ["]	90"	91¾"	921/2"	94¼"	Including Brickmold 81 ⁵ /8 ["]
	96"	94%16"	955/16"	97 1⁄16"		96"	97¾"	981/2 "	1001/4"	
	102"	100%16"	1015/16"	1031/16"	Unit Height Including Brickmold*	102"	103¾"	104½"	106¼"	Unit Height Including Brickmold*
	108"	106%16"	1075/16"	1091/16"	805/8"	108"	109¾"	110½"	1121/4"	82 7/8"


* Optional Aluminum Frame Cladding will increase brickmold to brickmold width by ½" and height by ½". Not all sizes available in all door types.

VINYL SLIDING PATIO DOORS

Vinyl Sliding Patio Doors are tested against the most stringent industry standards for air and water infiltration, wind load resistance, ease of operation, forced entry and much more. This means you'll have lower heating and air-conditioning costs, easier cleaning, low maintenance and increased comfort.

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure





All glass for Impact Shield Products is laminated to provide protection against wind-borne debris.



Additional heavy aluminum interlock on center stile adds durability and strength.





Suspended by ball bearing rollers this top-hung heavy duty aluminum screen frame with BetterVue® fiberglass mesh reduces binding, creating effortless operation.

FineLine[™] technology gives patio door corners a cleaner look. Standard on all laminated Endure[™] patio doors with the option to upgrade on white, beige and sandstone.



Strong, multi-chamber profiles and 4%^a" frame depth offer greater thermal efficiency and increased sound abatement. (Endure Patio Door frames have Neopor® insulation).



Spring-loaded latch system automatically engages upon closing. Latch also includes interior locking feature. BetterVue® fiberglass mesh is standard; heavy-duty fiberglass, stainless steel or aluminum mesh is optional.

Sill is reinforced with galvanized steel. Pair that with our patented water draining system, and the results are an efficient and durable base for our patio door.

Patented sliding system features four adjustable 1" wheels

per operating panel.



AccuVent[™] is ProVia's proprietary design featuring a sash lever combined with a top mounted ratchet and lock system allowing multiple venting locations .Standard for Endure, optional for Aspect.



AccuVent[™] has a clean, sophisticated look with an ergonomic finger-tipped lever design for ease of use.



Galvanized steel reinforced panels.



Fixed and mobile panel rails meet and interlock perfectly, making removal from the outside virtually impossible. Lower sill design provides safer entry and exit.

The foot lock adds peace of mind when you want to leave the door open for ventilation yet keep would-be intruders out. Standard for Aspect, optional for Endure.

OPTIONS

INTERNAL GRIDS




Triple Glazed Glass








V-Groove



SAMPLE GRID PATTERNS



Colonial 2V5H





Cottage TS-2V1H

Single Prairie

INTERNAL BLINDS (NOT tested for Impact Shield regions)




- Blinds tilt, raise and lower using the convenient fingertip adjustment slides
- Easy to clean; no more dusting of blinds
- Internal Blinds are available in silver, champagne, white, cream or tan.
- 10-Year Limited Warranty
- Available in standard and custom sizes (see price list for availability)
- Available in 1, 2, 3 and 4 lite models




Blinds with Low-E on surface 2 and 4 are ENERGY STAR® certified nationwide

CONFIGURATION Available in 2, 3 or 4-panel configurations in both standard and custom sizes



Only available in 2-panel configuration in Certified Wind Load regions. Sidelites and transoms must be installed in a separate opening or use approved engineering mulls.

Only available in 2-panel configuration in Impact Shield regions. Sidelites and transoms are NOT available.



Transoms



PATIO DOOR & INTERNAL GRID COLORS



* Laminated Vinyl

Always refer to our color selector for accurate color representation

HARDWARE Standard Mortise Hardware

Our Standard Mortise Hardware is available in White, Beige, Sandstone and Black



Optional Mortise Hardware (with keylock) Schlage® C Keyway on all keyed locking handles allow single key entry for the entire house (Also optional for Aspect)

Our Optional Mortise Hardware with keylock is available in White, Beige, Sandstone, Black, Aged Bronze, Antique Brass and Bright Brass.



Modern

Hardware

OTHER **OPTIONS**

- Flat and Contoured Internal Grids
- Internal Blinds (White, Cream, Tan Silver, Champange)
- Inspirations[™] Art Glass
- ComforTech™ DLA-UV (standard), DLA-UV-HC, TLA-UV and TLK-UV. NOT tested for Impact Shield regions.
- Tinted Glass: Gray, Bronze, Green or Blue
- Privacy Glass (Obsure Pebble, Chinchilla, Taffeta, Waterfall, Gluechip)
- Single and Double Prairie Beveled Glass
- 8' wide units can be ordered assembled or knock-down. For Impact Shield regions, units less than 6' (width) x 6'8" (height) can be ordered assembled or knock-down. All larger units will be ordered knock-down.



PATIO DOOR & INTERNAL GRID COLORS

White	Beige	Sandstone	

Always refer to our color selector for accurate color representation

HARDWARE Standard Mortise Hardware

Our Standard Mortise Hardware is available in White, Beige, Sandstone and Black.



Optional Mortise Hardware (with keylock)





White, Beige, Sandstone, Black

Bright Brass Satin Nickel Flat Bronze*

*Flat Bronze coordinates (but is not an exact match) with Aged Bronze accessories.

OTHER **OPTIONS**

- Flat and Contoured Internal Grids
- Internal Blinds (White)
- ComforTech™ DLA (standard), DLA-HC, TLA and TLK. NOT tested for Impact Shield regions.
- Tinted glass: Gray), Bronze, Green or Blue
- Privacy glass (Obsure Pebble, Chinchilla, Taffeta, Waterfall, Gluechip)
- Single and Double Prairie beveled glass
- 8' wide units can be ordered assembled or knock-down.
 For Impact Shield regions, units less than 6' (width) x
 6'8" (height) can be ordered assembled or knock-down.
 All larger units will be ordered knock-down.

Please refer to the Endure and Aspect Patio Door Brochures for more information.

STORM DOORS

Every storm door is individually customized to the highest standards in the residential market for homeowners who appreciate impeccable, uncompromising quality.

All ProVia Storm Doors are available for use in the Impact Shield regions. While storm doors help protect your entry door from the elements, they are NOT wind-borne debris tested, and therefore are NOT considered an Impact Shield Product.



Durable, oven-baked polyester finishes are backed by a Lifetime Warranty for lasting beauty and low maintenance.



You'll appreciate the finished look of our color matched aluminum installation screw covers.



Smooth function is essential. That's why we include a **quality door closer** in every storm door package. Varies by model.

Our air release system features a continuous closing action without the delayed rebound action of previous generation closers.



Extruded aluminum frame adds

beauty to your door by virtue of the rounded cove molding along the glass edge of the extrusion.

All our storm doors are constructed with **tempered safety glass.**




Non-operable sashes are secured by our **color matched polycarbonate clips** or an **internal sash lock system.** Varies by model.

Each door features **quality hardware** that adds beauty and functionality to your new storm door. Varies by model.

Corrosion-proof corner gussets enhance the structural integrity of the door. Our bottom expander with sweep allows for a beautiful custom-fit to any entry. Varies by model.

STORM DOOR **DETAILS**

The details are the small things that set our storm doors apart from the competition. A lot of small things add up to a big difference.



CONSTRUCTION	Spectrum	Decorator	Deluxe	DuraGuard	Superview
1 InVent™ Retractable Screen System	•				
2 Outside corners are secured to corrosion-proof gussets, for structural integrity	•	•	•	•	•
3 Color matched aluminum installation screw covers enhance the appearance of your door	٠	•	٠	•	٠
4 NEW Triple Bottom Sweep eliminates drafts	•	•	•	•	•
(5) The sculptured frame adds durability	1¼" x 4¾"	1¼" × 4"	1¼" x 3%"	1¼" x 3%"	1¼" x 2%"
6 Multi-hollow construction provides greater strength and security than standard storm doors	•	•	•	•	
7 The reinforced aluminum kick panel adds durability	•		•	•	
8 The aluminum kick panel resists rust and adds strength	•		•	•	•
9 Corner keys provide added support to the inside of the door frame	•	•	•	•	



CONSTRUCTION	Spectrum	Decorator	Deluxe	DuraGuard	Superview
10 Aluminum wall thickness up to 20% thicker than industry standard	٠	•	•	•	
11 The .023 gauge stainless steel screen offers extra security and protection (12 x 12 mesh)				•	
12 Non-operable sash/screen secured by internal lock system or color matched polycarbonate clips		Internal Lock	Clips		Clips
13 Standard insulated frame core to help reduce air movement	Optional	•	Optional	Optional	
19 Screen included	•	Optional	•	•	•



STORM DOOR PAINT FINISHING SYSTEM

Our paint process is computer controlled, ensuring professional quality every time. Paint is electrostatically applied with a vertical hydraulic reciprocator using a turbo disc that atomizes the paint particles for better coverage of contoured extrusions.

STORM DOOR PAINT COLORS



† Limited Colors. Available on entry doors and storm doors. Matching cladding and caulking not available.

NEW STORM DOOR TRENDING COLORS



Matching cladding and caulking NOT available for Trending Colors

Always refer to our color selector for accurate color representation.

LIFETIME FINISH WARRANTY For all Storm Doors

SPECTRUM[™] STORM DOORS

291 Full View

Spectrum Series storm doors bring you smooth functionality, beauty and durability. Our exclusive top and bottom InVent[™] retractable screen system allows you more venting options than ever.

SPECTRUM STORM DOORS INCLUDE:


- Two InVent retractable screens
- Triple seal bottom sweep
- 1¼" x 4¾6" wide sculptured frame

LIFETIME LIMITED WARRANTY

Includes Glass Breakage

STANDARD HARDWARE & ACCESSORIES

Featuring top and bottom InVent Retractable Screens





and Brass Inlay ◊

295-Z Full View Double Prairie with Beveled Glass and Zinc Inlay



Prairie with Beveled Glass



298-B Three-Quarter View with Beveled Glass and Brass Inlay ◊



298-Z Three-Quarter View with Beveled Glass and Zinc Inlay



298-VG Three-Quarter View with Beveled Glass



Reinforced Alumi kick panel

291 Full View 298 Three-Quarter View (Inspirations Glass available) (Inspirations Glass available)



279-C Colonial Half-Lite ŧ





292 Provincial Half-Lite ŧ







298SH Three-Quarter View (Only one InVent top screen and fixed bottom sash)

on these limits.



274-CSH Colonial Half-Lite (Only one InVent top screen and fixed bottom sash) * ‡

Acrylic is required (instead of tempered glass) for custom size storm doors where

pounds. entryLINK will automatically change the glass selection to Acrylic based

the sash size is greater than 20 square feet or the sash weigh is greater than 36



Half-Lite (Only one InVent top screen and fixed bottom sash) * ‡



Reinforced Aluminum kick pane 298-AZT




Tulips (Vineyard)

INSPIRATIONS™ ART GLASS

Ask to see our Inspirations Art Glass brochure for our complete selection of designs, color palettes and style availability.

Aztec (Coral Reef)

- * When top sash opens, it passes in front of kick panel
- ◊ Bright Brass hardware, anodized brass piano hinge and brass-look bottom expander are standard on Spectrum storm doors with brass caming.
- ‡ Available in 8' height



Note: The bottom expander on the Spectrum storm door is 2° on the exterior and 1%° on the interior to accommodate the frame profile



For French Storm Door information refer to the ProVia® Door Price List




Spectrum Storm Doors







145



Decorator Series provides a stylish, fresh look to accent your entry. Select one of the distinct styles from our Decorator Series storm doors.

DECORATOR STORM DOORS INCLUDE:

- Triple seal bottom sweep
- 1¼" x 4" wide sculptured frame

LIFETIME LIMITED WARRANTY

Includes Glass Breakage







591-B Full View Archway with Beveled Glass & Brass Inlay



Archway with Beveled Glass & Zinc Inlay ◊



595 Full View Double Prairie with Beveled Glass



#595-B Full View Double Prairie with Beveled Glass & Brass Inlay



#595-Z Full View Double Prairie with Beveled Glass & Zinc Inlay ◊



590 Full View ŧ



590-WES Westin ◊ ‡



Vintage (Timberland) ◊ ‡

INSPIRATIONS™ ART GLASS

Ask to see our Inspirations™ Art Glass brochure for our complete selection of designs, color palettes and style availability.



This spring-loaded, flush mounted lock secures the glass, virtually eliminating rattles and air leaks. Only available in Zinc finish

Acrylic is required (instead of tempered glass) for custom size storm doors where the sash size is greater than 20 square feet or the sash weigh is greater than 36 pounds. entryLINK will automatically change the glass selection to Acrylic based on these limits.

Optional full screen with horizontal stabilizer bar available for all Decorator doors.

- Satin Nickel hardware, and painted Satin Nickel piano hinge are standard on Decorator storm doors with zinc caming or Inspirations Art Glass.
- ‡ Available in 8' height



For French Storm Door information refer to the ProVia® Door Price List

DELUXETM STORM DOORS

389-M

Deluxe Series is the answer whether you're looking for additional light, ventilation or protection from the elements. You'll find the exact style you're looking for in our Deluxe Series of storm doors.

DELUXE STORM DOORS INCLUDE:

- Triple seal bottom sweep
- 1¼" x 35%" wide sculptured frame
- BetterVue[®] Fiberglass Screen

LIFETIME LIMITED WARRANTY

Includes Glass Breakage





Prairie with Beveled Glass (Includes screen*)



Beveled Glass (Includes screen*)

397 Full View (Includes screen*)



Divided Lite (Includes top screen) ‡



.023 gauge stainless steel screen ventilated bottom (Inspirations Glass available) (Includes full screen) ‡ & removable sash (Includes top screen*) ‡ (Inspirations Glass available)

396 One-Lite (Includes screen*)

±



Modern Self-Storing



399 Self-Storing (Includes full screen*) ‡



398-M Modern Hi-Lite (Includes top screen) ‡



398 Hi-Lite (Includes top screen) ‡



389-M Modern Self-Storing (Includes full screen*) ‡



389 Self-Storing (Includes full screen*) ‡



Colonial Self-Storing (Includes full screen) ‡





392 Provincial Self-Storing (Includes full screen) ‡

on these limits.

*



394 Provincial (Includes screen) ‡

Acrylic is required (instead of tempered glass) for custom size storm doors where the sash size is greater than 20 square feet or the sash weigh is greater than 36 pounds. entryLINK will automatically change the glass selection to Acrylic based

Full and One-Lite screens have

horizontal stabilizer bar

‡ Available in 8' height



393 Crossbuck Self-Storing (Includes full screen) ‡



395 Crossbuck (Includes screen) ‡



374-C Colonial Half-Lite (Includes screen) ‡







397-VIN Vintage (Timberland)

INSPIRATIONS[™] ART GLASS

Ask to see our Inspirations Art Glass brochure for our complete selection of designs, color palettes and style availability.



DuraGuard is exactly what you need if you're concerned about keeping your small children and pets safely inside. Select one of our doors with heavy-duty, non-removable stainless steel screening.

DURAGUARD STORM DOORS INCLUDE:

- Non-removable .023 stainless steel screen (only available on DuraGuard models)
- Triple seal bottom sweep
- 1¼" x 3%" wide sculptured frame

LIFETIME LIMITED WARRANTY

Includes Glass Breakage





glass insert

Reinforced Aluminum kick panel

089 Self-Storing

Sash & Screen



096-G with removable glass insert ‡



089-M Modern Self-Storing Sash & Screen



096-GV With ventilated bottom and removable top and bottom sashes ‡



099 Self-Storing Sash & Screen



Colonial Half Lite (Removable sash) ‡

Reinforced Aluminum kick pan

092 Provincial

Self-Storing ‡



099-M Modern Self-Storing Sash & Screen



094 Provincial Half Lite (Removable sash) ‡



Self-Storing ‡



095 Crossbuck Half Lite (Removable sash) ‡

einforced ium kick pa 079 Self-Storing ŧ




Reinforced Aluminum kick panel

074 Flush Half Lite

(Removable sash) ‡

079-C Colonial Self-Storing ‡





‡ Available in 8' height





Superview offers a selection of storm doors constructed for style and value in one complete package.

SUPERVIEW STORM DOORS INCLUDE:

- Triple seal bottom sweep
- 1¼" x 2%" wide sculptured frame
- BetterVue® Fiberglass Screen

LIFETIME LIMITED WARRANTY

Includes Glass Breakage







896 One-Lite (Includes screen*)



898 Hi-Lite (Includes top screen)



899 Self-Storing (Includes bottom screen)



895 Crossbuck (Includes screen)

Superview storm doors are available in the following colors



Always refer to our color selector for accurate color representation.


* Full and One-Lite screens have horizontal stabilizer bar



MORTISE HARDWARE

Mortise Hardware adds a special touch to your storm door with a solid brass handleset to suit your style. Our Multi-Point Mortise hardware conveniently allows you to use the same key for your storm door and your ProVia® entry door.

MULTI-POINT



10-Year Antique Brass

Lifetime Aged Bronze



Satin Nickel Sierra Mortise Hardware

Our Mortise hardware features a multi-point locking system for added strength and security not found on typical consumer-grade storm door hardware.

Requires a factory handleset prep and is not available on expander door.

HARDWARE FINISH AVAILABILITY HARDWARE AVAILABILITY										(
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	LIFETIME Black	10-Year Finish Antique Brass	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™
Sierra	•	•	٠	•	٠	Standard*				
Venice	•	•	•	•	•					

Interior handle finish matches exterior handle

Available as an option

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Black

SINGLE-POINT





AVAILABLE FINISHES

⁄ear Black
Cambridge Interior

Optional Single-Point Mortise hardware, offering enhanced security, durability and style over standard surface mounted hardware.



Not available to be Keyed to entry door.

Requires a factory handleset prep and is not available on expander door.

AVAILABLE FINISHES

Lifetime Bright Brass	Lifetime Aged Bronze
Lifetime Satin Nickel	1-Year Black
1-Year Antique Brass	1-Year White

HARDWARE FINISH AVAILABILITY HARDWARE AVAILABILITY											
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	1-Year Antique Brass	1-Year White	1-Year Black	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™
Cambridge	٠	•	٠	٠	٠	٠					
Westgate	•	•	•	•		•					

Interior handle finish matches exterior handle

Available as an option

HARDWARE

With both elegance and durability, our hardware makes the right first impression. Choose from our wide selection of solid hardware to customize your storm door.

Antique Brass Windsor Hardware

WINDSOR





Windsor Interior

TOWNSEND



AVAILABLE FINISHES

Lifetime Bright Brass	1-Year Antique Brass	1-Year Black
Lifetime Satin Nickel	Lifetime Aged Bronze	

HARDWARE FINISH AVAILABILITY HARDWARE AVAILABILITY											
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	1-Year Antique Brass	1-Year White	1-Year Black	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™
Windsor	•	٠	٠	٠		•		Standard			*
Townsend	•	•	•	•		•					*

Interior handle finish matches exterior handle

Available as an option

† Standard color is black

* Not available on Superview Model 899

CONTEMPORARY CURVE LEVER



Contemporary Curve Interior

PUSH BUTTON





Push Button Interior (201 & 202) (Interior handle finish matches exterior handle)

PULL HANDLE







Push Button Interior (192) and Pull Handle Interior (Interior handle finish matches exterior handle)

AVAILABLE FINISHES



AVAILABLE FINISHES Push Button/Pull Handle

-Year	Black
1001	Diacit

1-Year White

HARDWARE FINISH AVAILABILITY							HARDWARE AVAILABILITY					
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	1-Year Antique Brass	1-Year White	1-Year Black	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™	
Contemporary Curve	•	•	•	•	•	•			Standard †	Standard †	*	
Push Button (DH201 & DH202)					•	•					*	
Push Button (DH192)						•						
Pull Handle					•	•					Standard †	

Interior handle finish matches exterior handle

Available as an option

† Standard color is black

* Not available on Superview Model 899

ACCESSORIES



FRFFDOM PET DOOR

Factory Installed - Available on Flush Doors Only

- Solid aluminum construction with locking panel
- Soft single flap for tight weather seal
- White mitered aluminum frame
- Also available on entry doors. See page 130.
- Also available on additional storm door styles.
- Only available with heavy-duty closer, Pet Door N/A with dual closers

Medium 81/4" x 121/4" opening for pets up to 40 lbs. Large 10¹/₄" x 16¹/₄" opening for pets up to 100 lbs. X-Large

13³/₄" x 23³/₄" opening for pets up to 220 lbs.



#279 Flush Half-Lite with Pet Door Option





#079 Self-Storing with mail slot option

MAGAZINE & MAIL SLOT

Lifetime Bright Brass, Lifetime Satin Nickel and Lifetime Aged Bronze magazine and mail slots are available on 074, 079, 279, 374 and 379.



PIANO HINGE & BOTTOM EXPANDER



Painted Satin Nickel piano hinge and bottom expander



Painted Aged Bronze piano hinge and bottom expander



EASY-SET **CLOSER**

Just a slight push on the cap and it'll stay open. Push door open further and it releases. Color matched to door.

OUR MISSION:

- TO SERVE, BY CARING FOR - DETAILS IN WAYS OTHERS WON'T

At ProVia, we care about our customers as much as we do the products and services we meticulously provide. We combine old-world craftsmanship with state-of-the-art technology to deliver personalized care with every order. We invite you to experience ProVia's full line of products crafted The Professional Way - which includes the industry's best in doors, windows, siding, stone and roofing.

Browse our full line of products at **provia.com**





Your Vision is Our Inspiration



WINDOWS



SIDING



STONE



ROOFING

provia.com



"To serve, by caring for details in ways others won't." It's not just our mission, but a way of letting our light shine every day at ProVia[®]. We continually strive to put these words into action by providing unmatched quality and service. The P-icon symbolizes each employee's commitment to devoting the utmost care, pride and quality into each building product we manufacture...it's The Professional Way.



At ProVia, we manufacture energy efficient products and exercise corporate environmental stewardship by recycling, reducing pollution emissions and much more. In fact, our company has received repeated awards from the Environmental Protection Agency such as Partner of the Year - Sustained Excellence for Door and Window Manufacturing.

Distributed by:



DOORS | WINDOWS SIDING | STONE | ROOFING provia.com

> © 2021 ProVia P-MK-03005-21 | 11/20